

Brands We Deal With



speedy



MAC

DORMAN®

Agent for:
USKF

Our Exclusive Brands




MANNA GLASS COMPANY

Glass and Stainless Accessories

4162 Ibn Awn St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia

Tel. :2955509 Ext. 101

E-mail: accessories@mannaglass.sa | www.mannaglass.sa




DORMAN®

Architectural



Glass Fixings

General Catalogue 2021/2022 Rev. 01




The most reliable glass accessories in the Kingdom



24.64129, 46.75475

Head Branch - Riyadh



LOCATION

Our valued customer

We would like to express our gratitude and thanks to all our customers and employees.

Your collaboration has made it possible for Dorman® to grow into a recognized brand in the Kingdom of Saudi Arabia. We strive to constantly improve and offer our customers the best possible solutions to enhance their business.

About Dorman® Hardware

For 60 years, we have been providing Glass & Stainless Steel Accessories from storefront to home front, interior or exterior, repair or replacement, from windows, domes, skylights to wall mirrors, shower enclosures, handrail to sliding, folding, automatic sliding Doors, using high-quality different types of glass from sandblasted, fused, back painted, screen printed, to stained glass.

As an established & leading Architectural Glass fixings Company, we offer a wide range of glass products to suit all architectural applications. With our diverse portfolio of products, which includes Products for Double Glazing, Accessories for the production of windows, facades, interior office doors, commercial doors, railings, and bathroom doors, Metal & Hardware and Glass Machineries. We can offer Customized Solutions to all your design requirements and specifications. Our company has extensive in the field of Glass & Stainless-Steel Accessories and we supply a customer network in the Kingdom of Saudi Arabia, making safe and quick shipments to all destinations.

Our line of glass processing types of machinery includes double straight edging machines, straight beveling shape machines, vertical drilling equipment, glass washing and cutting machines, vertical insulating and glass lifting equipment.

We operate our business with Trust, Honesty, Mutual Commitment, Reliable Customer Service, and Exceptional Work Ethics. For years our clients keep referring us to their friends and associates. We service a variety of clientele, from renovators, ID contractors, and architects, to designers, property developers, and individual homeowners.

**For all your glass needs with
exceptional Quality and services.**

Sense the High quality and harmony that only Dorman® can bring.

All jobs are handled by our own Glass Professionals with the safest solution possible and are completed on budget, on time, with no mess left behind.

Our design team will customize glass to your requirements with Creativity and Exclusivity as well as ensuring on the safety of the type of glass

Manna Glass Company takes pride as the exclusive Founder of the "Dorman®" brand, carrying the 9001 – 2008 certified manufacturers in China of genuine products with exceptional quality, which is offered in whole Kingdom of Saudi Arabia, and soon in other parts of the world.

We have some of the best brains in the industry comprising of people who are techno - commercial having a sense of business & acumen to understand the customer needs and aspirations.

Dorman® service and technical support as well as warranty and innovation, offers a serious solution and a responsible partner, for any company working with glass, steel and aluminum.

Vision & Mission

We Would like to be seen by our clients as a pioneer source for all Architectural Glass applications and products, and a glass specialist that provides Glass Solutions.

Fulfill effectively all glass needs with

Quality Service


Unique Products

Magical Beauty

Safest Installation

Timely Delivery

Competitive Price



Index

Storefront



• Floor Springs Fittings Series	Page No. 011
• Patch Fittings & Accessories Series	Page No. 019
• Sliding Door Operator (Automatic)	Page No. 045
• Door Closures Fittings Series	Page No. 053
• Bi-fold & Movable Folding Door Series	Page No. 057
• Glass Door Locks Fittings Series	Page No. 069
• Glass Door Hinges Fittings Series	Page No. 085

Bathroom



• Shelf Glass Clamps & Supports Series	Page No. 097
• Glass Connectors Fittings Series	Page No. 107
• Shower Connectors Fittings Series	Page No. 113
• Shower Enclosures Fittings Series	Page No. 119
• Shower Support Bars Series	Page No. 169
• Shower Seals Fittings Series	Page No. 173
• Shower Door Knob Handles Series	Page No. 179

Outdoor



• Glass Door Handles Series	Page No. 185
• Point Fixed Glass Fittings Series	Page No. 201
• Spider Glass Curtain Wall System Series	Page No. 211

Handrail

• Clips & Standoffs Fittings Series	Page No. 227
• Base Plate & Flange Series	Page No. 237
• End Cap Fittings Series	Page No. 241
• Glass Mount Bracket Series	Page No. 245
• Wall Mount Bracket Series	Page No. 249
• Stainless Steel Spigot Series	Page No. 255
• Base Covers Series	Page No. 257
• Ball Top & Balls Series	Page No. 261
• U-Channels & Corner Guards	Page No. 267
• Stainless Steel Tubes & Pipes	Page No. 271



STAINLESS STEEL GLASS FITTINGS 2021/2022

FLOOR SPRINGS FITTINGS SERIES





DORMAN®

DM-7305 90°


5Y WARRANTY



STANDARD CONFIGURATION

- Finish: Satin, Polish, Titanium, Black & Golden
- Materials: Pressed Iron
- Available For: Steel Doors, 8-12MM Glass Door
- Features: Switching for 500,000 times


TECHNICAL INFO. & FUCTION	EN2#	EN3#	EN4#
CLOSING FORCE(N-m)0°-4°	15	20	33
WIDTH OF DOOR MAX (mm)	800	1000	1200
WEIGHT OF DOOR MAX (kg)	80	100	150



Technical drawing

Floor Spring Installation Steps:

- Draw lines and make floor spring pivot center and door-nip pivot coincide with each other.
- Drill holes on the floor according to the instructions, the sizes of the holes must tightly match the floor spring.
- Place the floor spring into the holes and position it.
- Raise the door leaf installed with door-nip, and insert the floor spring pivot into the hole of the door leaf.
- Adjust the screws at three directions, make them vertical and the upper and lower pivot center coincide with each other.
- Adjust the speed of door closing.
- Put the decoration cover on the floor spring.



DORMAN®

DM-7305 180°


5Y WARRANTY



STANDARD CONFIGURATION

- Finish: Satin, Polish, Titanium, Black & Golden
- Materials: Pressed Iron
- Available For: Steel Doors, 8-12MM Glass Door
- Features: Switching for 500,000 times


TECHNICAL INFO. & FUCTION	EN2#	EN3#	EN4#
CLOSING FORCE(N-m)0°-4°	15	20	33
WIDTH OF DOOR MAX (mm)	800	1000	1200
WEIGHT OF DOOR MAX (kg)	80	100	150



Technical drawing

Floor Spring Installation Steps:

- Draw lines and make floor spring pivot center and door-nip pivot coincide with each other.
- Drill holes on the floor according to the instructions, the sizes of the holes must tightly match the floor spring.
- Place the floor spring into the holes and position it.
- Raise the door leaf installed with door-nip, and insert the floor spring pivot into the hole of the door leaf.
- Adjust the screws at three directions, make them vertical and the upper and lower pivot center coincide with each other.
- Adjust the speed of door closing.
- Put the decoration cover on the floor spring.





DORMAN®

DM-65D


5Y WARRANTY



STANDARD CONFIGURATION

- Finish: Satin, Polish, Titanium, Black & Golden
- Materials: Pressed Iron
- ➡ Available For: Steel Doors, 8-12MM Glass Door
- ✂ Features: Switching for 500,000 times

TECHNICAL INFO. & FUNCTION	EN2#	EN3#
CLOSING FORCE(N-m)0°-4°	15	20
WIDTH OF DOOR MAX (mm)	800	1000
WEIGHT OF DOOR MAX (kg)	80	100




Technical drawing

Floor Spring Installation Steps:

- (A) Draw lines and make floor spring pivot center and door-nip pivot coincide with each other.
- (B) Drill holes on the floor according to the instructions, the sizes of the holes must tightly match the floor spring.
- (C) Place the floor spring into the holes and position it.
- (D) Raise the door leaf installed with door-nip, and insert the floor spring pivot into the hole of the door leaf.
- (E) Adjust the screws at three directions, make them vertical and the upper and lower pivot center coincide with each other.
- (F) Adjust the speed of door closing.
- (G) Put the decoration cover on the floor spring.

Optional functions



DORMAN®

DM-65M


5Y WARRANTY



STANDARD CONFIGURATION

- Finish: Satin, Polish, Titanium, Black & Golden
- Materials: Pressed Iron
- ➡ Available For: Steel Doors, 8-12MM Glass Door
- ✂ Features: Switching for 500,000 times

TECHNICAL INFO. & FUNCTION	EN2#	EN3#
CLOSING FORCE(N-m)0°-4°	15	20
WIDTH OF DOOR MAX (mm)	800	1000
WEIGHT OF DOOR MAX (kg)	80	100




Technical drawing

Floor Spring Installation Steps:

- (A) Draw lines and make floor spring pivot center and door-nip pivot coincide with each other.
- (B) Drill holes on the floor according to the instructions, the sizes of the holes must tightly match the floor spring.
- (C) Place the floor spring into the holes and position it.
- (D) Raise the door leaf installed with door-nip, and insert the floor spring pivot into the hole of the door leaf.
- (E) Adjust the screws at three directions, make them vertical and the upper and lower pivot center coincide with each other.
- (F) Adjust the speed of door closing.
- (G) Put the decoration cover on the floor spring.

Optional functions





DORMAN®

DM-84D


5Y WARRANTY



STANDARD CONFIGURATION

- Finish: Satin, Polish, Titanium, Black & Golden
- Materials: Pressed Iron
- ↪ Available For: Steel Doors, 8-12MM Glass Door
- ✂ Features: Switching for 500,000 times

TECHNICAL INFO. & FUNCTION	EN3#	EN4#
CLOSING FORCE(N-m)0°-4°	20	25
WIDTH OF DOOR MAX (mm)	1000	1200
WEIGHT OF DOOR MAX (kg)	100	120




Technical drawing

Floor Spring Installation Steps:

- Draw lines and make floor spring pivot center and door-nip pivot coincide with each other.
- Drill holes on the floor according to the instructions, the sizes of the holes must tightly match the floor spring.
- Place the floor spring into the holes and position it.
- Raise the door leaf installed with door-nip, and insert the floor spring pivot into the hole of the door leaf.
- Adjust the screws at three directions, make them vertical and the upper and lower pivot center coincide with each other.
- Adjust the speed of door closing.
- Put the decoration cover on the floor spring.

Optional functions



DORMAN®

DM-84M


5Y WARRANTY



STANDARD CONFIGURATION

- Finish: Satin, Polish, Titanium, Black & Golden
- Materials: Pressed Iron
- ↪ Available For: Steel Doors, 8-12MM Glass Door
- ✂ Features: Switching for 500,000 times

TECHNICAL INFO. & FUNCTION	EN3#	EN4#
CLOSING FORCE(N-m)0°-4°	20	25
WIDTH OF DOOR MAX (mm)	1000	1200
WEIGHT OF DOOR MAX (kg)	100	120




Technical drawing

Floor Spring Installation Steps:

- Draw lines and make floor spring pivot center and door-nip pivot coincide with each other.
- Drill holes on the floor according to the instructions, the sizes of the holes must tightly match the floor spring.
- Place the floor spring into the holes and position it.
- Raise the door leaf installed with door-nip, and insert the floor spring pivot into the hole of the door leaf.
- Adjust the screws at three directions, make them vertical and the upper and lower pivot center coincide with each other.
- Adjust the speed of door closing.
- Put the decoration cover on the floor spring.

Optional functions



► PATCH FITTINGS & ACCESSORIES SERIES



SUS
304
Stainless steel






AVAILABLE GRADE: 201 OR 304



PATCH FITTINGS


Complete Range





Patch fittings

Shown with 10mm / 12mm Glass





DM 10M/D

Bottom patch
with insert for DORMAN fl. spring spindle, or round pivot 14 mm Ø

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 20

Top patch
with plastic socket for top pivot 15 mm Ø

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 40

Patch for overpanel and sidelight
with pivot 15 mm Ø

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



DM 51

Double overpanel fitting
with fin fitting on one side and 2 pins 15 mm diameter


Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



Patch fittings

Shown with 10mm / 12mm Glass




DM 511

Top fixed panel
with pivot patch

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 90

Door center patch lock
with D/B lock & 5 Keys

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 80

Door center patch lock keeper
with D/B lock slot

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



DM 91

Door top & Bottom corner patch
with D/B lock & 5 Keys

Main Material:
Aluminum alloy
Stainless steel


Finish:
Polished/Satin/Titanium





Patch fittings


Shown with 10mm / 12mm Glass



DM 50 S/T

Door end corner patch
with D/B lock & 5 Keys


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 830-2A

Glass door D/B lock slot
for DM 820A & 830-2


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 820A

Glass door D/B lock
with key & wall plate

Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 830-2


Glass door knob lock
with/without wall plate

Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



Patch fittings


Shown with 10mm / 12mm Glass



DM 815

Glass door lock
with keys


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM B815

Glass door lock slot
for DM 815


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 100

Glass door D/B lock
with key & wall plate (Optional)

Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 100B

Glass door D/B lock slot
for DM100


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium





Patch fittings

Shown with 10mm / 12mm Glass



DM 850


Overpanels & glass fin patch
with D/B lock slot

Main Material:

Aluminum alloy
Stainless steel

Finish:

Polished/Satin/Titanium



DM 51D


Double overpanel fitting
with 2 pins 15 mm diameter

Main Material:

Aluminum alloy
Stainless steel

Finish:

Polished/Satin/Titanium



DM B840-1


Overpanel double door strike patch
with two black inserts

Main Material:

Aluminum alloy
Stainless steel

Finish:

Polished/Satin/Titanium



DM B840

O-panel panel double door panel patch
with two blank inserts

Main Material:

Aluminum alloy
Stainless steel


Finish:

Polished/Satin/Titanium



Patch fittings

Shown with 10mm / 12mm Glass



DM 860


Glass door knob lock
without key

Main Material:

Aluminum alloy
Stainless steel

Finish:

Polished/Satin/Titanium



DM 861


Glass door knob lock slot
for DM 860

Main Material:

Aluminum alloy
Stainless steel

Finish:

Polished/Satin/Titanium



DM 410R


Patch for overpanel & sidelight - right
fin fitting inside, with pivot 15 mm Ø

Main Material:

Aluminum alloy
Stainless steel

Finish:

Polished/Satin/Titanium



DM 410L

Patch for overpanel & sidelight - left
fin fitting inside, with pivot 15 mm Ø

Main Material:

Aluminum alloy
Stainless steel

Finish:


Polished/Satin/Titanium





Patch fittings


Shown with 10mm / 12mm Glass



DM 380-1

Connector
for overpanel and sidelight, with stop


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 360-1

Overpanel connector
with 2 stop inserts & 2 blank inserts,
also suitable for 12 mm glass thickness


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 390

Overpanel - 180° straight connector

Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 360


Connector
with two stop inserts and
two blank inserts, angle 90°

Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



Patch fittings


Shown with 10mm / 12mm Glass



DM 583

Overpanel connector
with fin fitting


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 380

Connector


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM 585

Connector
with fin fitting

Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium



DM B511

Threaded rod
M 8 with plug
for overpanel patch


Main Material:
Aluminum alloy
Stainless steel
Finish:
Polished/Satin/Titanium





Patch fittings

Shown with 10mm / 12mm Glass




DM 10AR

Bottom patch
with insert for DORMAN fl. spring
spindle

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 20AR

Top patch
with plastic socket for top pivot
specified size

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



DM 511AR

Patch for overpanel with Pivot
for specified size


Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



Patch fittings

Shown with 10mm / 12mm Glass




DM 40AR

Patch for overpanel and sidelight
with pivot

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



DM 90AR

Door end corner patch
with D/B lock & 5 Keys

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



DM CV5

Door lock cylinder
with keys

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin



DM CV5K

Door lock cylinder
with knob & keys

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin



GOLDLINE FIXING SERIES AND BLACKLINE FIXING SERIES

NEW



2021/2022

DORMAN®




SUS
304
Stainless steel



Patch fittings

Shown with 10mm / 12mm Glass





DM 10G M/D

Bottom patch
with insert for DORMAN fl. spring spindle, or round pivot 14 mm Ø

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 20G

Top patch
with plastic socket for top pivot 15 mm Ø

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 40G

Patch for overpanel and sidelight
with pivot 15 mm Ø

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



DM 810G/B810G

Glass door lock
with keys
used with DM B810G


Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



Patch fittings

Shown with 10mm / 12mm Glass




DM 511G

Top fixed panel
with pivot patch

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 90G

Door center patch lock
with D/B lock & 5 Keys

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 80G

Door center patch lock keeper
with D/B lock slot

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



DM 91G

Door top & bottom corner patch
with D/B lock & 5 Keys

Main Material:
Aluminum alloy
Stainless steel


Finish:
Polished/Satin/Titanium





Patch fittings

Shown with 10mm / 12mm Glass




DM 10B M/D

Bottom patch
with insert for DORMAN fl. spring spindle, or round pivot 14 mm Ø

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 20B

Top patch
with plastic socket for top pivot 15 mm Ø

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 40B

Patch for overpanel and sidelight
with pivot 15 mm Ø

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



DM 201B

Door frame pivot
for DM 20B
with screws


Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



Patch fittings

Shown with 10mm / 12mm Glass




DM 511B

Top fixed panel
with pivot patch

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 90B

Door center patch lock
with D/B lock & 5 Keys

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium




DM 80B

Door center patch lock keeper
with D/B lock slot

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium



DM 360B

Connector
with blank inserts

Main Material:
Aluminum alloy
Stainless steel

Finish:
Polished/Satin/Titanium







FLOOR HINGES

DM-HD10 | HD10B | HD10G







Hydraulic Floor Hinges :

- 90° Hold open
- Suitable for 8-12mm thick glass door
- Maximum door weight : 100kg
- Maximum door width : 1000mm
- Closing range (85° to 25°), and latching range (25° to 0°)
- Available finish : Satin Stainless Steel or gold
Polished Stainless Steel or black




FLOOR HINGES






PATCH ACCESSORIES

**DM-502M**


Description : Bottom Door Patch Insert

**DM-510M**


Description : Bottom Door Patch Insert

**DM-502D**


Description : Bottom Door Patch Insert

**DM-510D**


Description : Bottom Door Patch Insert

**DM-74**

Description : Mechanical Door Pivot

**DM-73**

Description : Floor Hinge Accessories

**DM-73D**

Description : Floor Hinge Accessories

**DM-75**

Description : Floor Hinge Accessories



PATCH ACCESSORIES

**DM-201**

Description : Door Frame Pivot
Size : 26mm x 120mm x 3mm; 28mm x 116mm x 3mm
Grade : 304
Material : Stainless Steel Polished, Satin, Gold

**DM-202**


Description : Door Frame Pivot
Size : 26mm x 120mm x 3mm; 28mm x 116mm x 3mm
Grade : 304
Material : Stainless Steel Polished, Satin, Gold

**DM-76**

Description : Mechanical Door Pivot (Raising Pivot)
Grade : 304
Material : Stainless Steel Polished

**DM-511B**


Description : Wall Fixing Plate for Top Fixed Panel Pivot Patch
Grade : 304
Material : Stainless Steel Polished

**DM-B90**


Description : Bottom Lock Slot
Grade : 304
Material : Stainless Steel Polished, Satin

**DM-B90-1**

Description : Lock Slot
Grade : 304
Material : Stainless Steel Polished


**DM-B820**

Description : Bottom Lock Slot
Grade : 304
Material : Stainless Steel Polished

**DM-B820-1**

Description : Bottom Lock Slot (With Dust Guard)
Grade : 304
Material : Stainless Steel Polished

**SUS
304**
Stainless steel



Patch fittings

Shown with 10mm / 12mm glass.


Patch fittings

Shown with 10mm / 12mm Glass

DM-1002 Top Door Rail

SPECIFICATIONS




- To Install on top of the door
- Fit for Glass Thickness : 10mm / 12mm
- Material : SS 304 Cover Plate
- Quick & Easy Installation
- Finish : SSS / Others



DM-1001 Bottom Door Rail

SPECIFICATIONS

- To install on bottom of the door
- Fit for Glass Thickness : 10mm / 12mm
- Material : SS 304 Cover Plate
- Quick & Easy Installation
- Finish : SSS / Others




Top Door Frame
Specification
1200mm


Bottom Door Frame
With & Without Lock
Specification
1200mm

EPD

Environmental
Product
Declaration



ADS



DORMAN®

DM 200

Sliding door operator



Flexible, Simple & Modular

With Drive Power to Spare



The new, innovative DM 200 sliding door operator system offers the perfect solution for all applications and service requirements. The DM 200, equipped with the Dorman PowerDrive technology, fulfills every demand imposed on operators in terms of adaptability to different door widths, door weight capacity and functionality.

THE MODULAR SYSTEM

The modular design of the DM 200 provides an ideal basis for the implementation of new ideas and individual concepts in the design and construction of sliding door systems.

INTEGRATED POWER

With its extra-powerful motor and a dynamic driving phase control, the integrated PowerDrive system ensures safe and reliable operation. And it can readily cope with sliding door weights of up to 2*160 kg per door panel weight.

EXCEPTIONAL COST-EFFICIENCY

With the DM200, Dorman offers a drive system of modular design capable of covering every application on the basis of just a few components. The system offers easy assembly and installation, reduced storage and stocking costs, and simple maintenance for enhanced operational cost efficiency.

A SYSTEM FOR THE FUTURE

With this system you are investing in the future. You also have the security derived from our decades of experience in the automatics business a history that sets Dorman apart as the market leader in drive and control systems for doors.

The DM 200 corresponds to all the latest European and German standards and safety regulations.

DELIVERY FORMATS

The DM 200 is available as a component kit, as a complete, pre-assembled operator or ready integrated in all sliding door systems.



THE INTERNATIONAL EPD® SYSTEM We are committed to sustainable development as one of our business maxims. Dorman aim is to ensure energy-saving & resource-conserving production, a high recycling ratio & the longevity of our quality products. Environmental Product Declarations (EPD), based on a holistic life cycle.



ACCESSORIES

Dorman furthermore provides program switches, activators and door profiles all perfectly matched to the operator as ideal complementary components



FEATURES & BENEFITS


- Modular, flexible system.
- With Dorman PowerDrive: Dynamic driving phase control for particularly powerful operation – and with emergency power backup in the form of a rechargeable battery pack.
- Industrially prefabricated and tested Mini Drive Unit.
- Modular control system upgradeable with additional function modules.
- Integrated DAW® (DORMAN Attach and Work) bus system for easy integration of DORMAN DAW® sensors and activators.
- Easy commissioning via the integrated display.
- May be combined with all customary door profiles.
- Fully comprehensive range of accessories.
- Reliable investment due to compliance with all relevant European and German standards.



The complete solution

Automatic entrance systems require careful specification and installation to ensure safety and reliability in use. Commencing with a risk assessment survey, Dorman will advise at all stages of design and installation so the correct methods of operation and user safety protection are adopted.

Connections



* Safety sensors to monitor the secondary closing edges in accordance with DIN 18650 and EN 16005
** Safety sensors to monitor the main closing edge in accordance with DIN 18650 and EN 16005

Risk Assessment

All automatic doors must be specified and installed following appropriate safety standards requiring risk assessment prior to installation and periodically during the life of the product. Dorman are experienced with safety specification and can provide further details on request.

Professional and impartial advice from staff assessed and accredited by ADSA (Automatic Door Suppliers Association):

- Site surveys, escape routes, impaired user access.
- Risk assessment reports
- Consultation with leading safety bodies and equipment manufacturers.
- CPD delivery to specifiers and professional organisations



Protection

Automatic doors installed in the KSA are subject to the highest safety demands in accordance with GN 160265:2020. To meet these requirements consideration must be given to the use of barriers, self-monitoring sensors and other protective devices. These are mandatory for each door and uniquely specific to its location.

Advanced, standards-compliant technologies for all door types:

- Compact sensors with microwave Doppler technology for motion detection



Activation

Dorman automatic doors are designed and tested to meet a wide range of building entrance styles and user requirements. Access to the building can be controlled through a number of methods from simple switches and keylocks to intelligent access control readers.

Wide choice of access methods from Dorman:

- Radar approach sensors, opening integrated with emergency escape systems
- Manual pushbuttons with high visibility and ease of use for disabled users.
- Access control readers using simple access fobs or fully integrated with a monitored access control system



Maintenance

Automatic doors must be maintained and periodically assessed to be safety compliant. Dorman have the KSA's largest service network of trained engineers experienced on all types of door system both Dorman and from other manufacturers.

Qualified service engineers assessed and accredited by ADSA:

- Scheduled maintenance visits and emergency callout.
- Risk assessment reports
- Trained and accredited service engineers with national coverage and logistic support





Complete range of Accessories



Microwave sensor



Wireless touch switch



Pedal inductive switch



Beams sensor



3-Beams sensor



Autodoor remote controller



Access back-up power



Single access controller



Plastic exit switch



ID card



Electric bolt (no delay time)



Electric bolt with lock folder



Electric bolt lock clamping



Magnetic locks



Double-door magnetic locks



Easy geared motor



Controller (Basic module)



Switching power supply



Carriage/Hang Wheel



Electro-mechanical lock




Motor drive tooth belt

Every six months

It is recommended that servicing be undertaken as a minimum every six months, in accordance with the Workplace (Health and Safety and Welfare) Regulations 1992, and only by fully qualified specialist engineers.



▶ DOOR CLOSURES FITTINGS SERIES





DM-D77


OVERHEAD DOOR (SCISSOR ARM)



Specifications

Rack and Pinion Overhead Door Closer with Adjustable closing force EN 3

- Easy opening action
- Adjustable closing speed in two independent ranges 180°-20°
- Locking strength adjustable 20°-0°
- With standard scissor arm
- Maximum door weight: 65kg
- Maximum door width: 950mm
- Can be mounted to door leaf and transom
- Finish: Silver/Gold/Black/White



DM-D78


OVERHEAD DOOR CLOSER (SCISSOR ARM)



Specifications

Rack and Pinion Overhead Door Closer with Adjustable closing force EN 2-4

- Easy opening action
- Adjustable closing speed in two independent ranges
- Non handed design
- With track arm
- Maximum door weight: 80kg
- Maximum door width: 1100mm
- Fire tested and certified by Warrington APT Laboratories
- Test certificate available on request
- Can be mounted to door leaf and transom
- Finish: Silver/Gold/Black/White



DM-D79

OVERHEAD CONCEALED RACK & PINION DOOR CLOSER

Specifications


Concealed Rack & Pinion Door Closer with EN 3

- Fully hydraulically controlled adjustable closing speed in two independent ranges
- Non handed design
- With track arm
- Maximum door weight: 65Kg (EN3)
- Maximum door width: 950/1000mm
- Minimum door thickness for installation: 38mm
- Fire tested and certified by Warrington APT Laboratories
- Test certificate available on request
- Finish: Std Silver/Grey & others colors on client request




Closing Speed
Adjusting Valve

Latching Speed
Adjusting Valve



▶ BI-FOLD & MOVABLE FOLDING DOOR SERIES





Zoom in accessories

Side folding is perfect for four panels system where the Glass panels will be stacked aside from a specific point located near to the edge of the glass panels.

Choosing of this system depends on :

- The surroundings that suit the flow of the process of opening and closing the system.
- The aesthetic factor which many may prefer the simple look of this system.
- Upper and lower track can be used or only upper track.



DM-RA8700A (4 Panels System)




Fig.01. System perspective while opening



DM-RA8700A (4 Panels System)



RA8700A-6



RA8700A-10



RA8700A-11



RA8700A-12



RA8700A-13



RA8700A-13A



RA8700A-13C



RA8700A-14




RA8700A-16



RA8700A-17



RSH-014



RSH-012



RA8700C-1/3M



RA8700A-15/3M

Specifications:

- The Gap between panels is 3-5 mm.
- The Gap from top and bottom 5-10 mm.
- The system is concealed using lipseal between panels and from top and bottom.
- When the panels are closed the space between every two panels is around 6cm.
- The Glass Panels could have thickness of 8,10,12mm.
- The Glass panels are Toughened Safety Glass.




Fig.02. System Technical Details




Fig.03. Plan



Zoom in accessories



Zoom in accessories



DMPS-Z (Movable Glass Partition System)



Fig.01. System perspective while opening

DMPS-Z Series of Movable Glass Partitions & Functions

DMPS-Z series movable glass partition walls enjoy smooth movement, attached with upper and lower door strips. Pulley positions are located in the middle of door leaves. DMPS-Z series can be used in the large-span partition solutions, and each system can be composed of 3-8 door leaves. Because pulley positions are at the mid-points, paired door leaves are not necessary for this system. Door leaves slide along the fixed tracks which are installed under the ceiling. This partition system does not require additional ground tracks, therefore it will not cause floor damage during arrangement. There must have a beginning door leaf that's connected to folding door leaves. The width of the beginning door leaf is half that of the folding door leaf, and a shaft shall be fitted. Taking into account the symmetry of the overall movable partition, both end and beginning door leaves shall have same width, without pulleys.



DMPS-Z (Movable Glass Partition System)




Fig.02. System Technical Details



DMPS-Z (A) (Movable Glass Partition System)




Fig.03. System Technical Details



DMPS-Z (B) (Movable Glass Partition System)



Type-B


- 1 end door leaf (narrow)
- 3 folding door leaves
- 1 beginning door leaf (narrow)

Door strip spacing 40MM
Glass piece spacing 55MM

Fig.04. System Technical Details



DMPS-Z (C) (Movable Glass Partition System)



W=door leaf width



Type-C

- 1 access door leaf (folding leaf at the end)
- 2 folding door leaves
- 1 beginning folding door leaf (narrow)



- Left end
- 1 beginning door leaf (narrow)
- 2 folding door leaves
- 1 access door leaf (folding leaf at the end)

- Right end
- 1 access door leaf (folding leaf at the end)
- 2 folding door leaves
- 1 beginning door leaf (narrow)

Fig.04. System Technical Details

▶ GLASS DOOR LOCKS FITTINGS SERIES





DM-420

Intelligent Fingerprint Glass Double Lock

Color: Grey & Silver

1. 4 ways to unlock: Fingerprint, Card, PIN Code, Remote Controller.
2. FPC fingerprint reader give you best security experience.
3. High security material, Strong enough to protect your home.
4. LED display screen, Easy to operate.
5. User-friendly operating system.
6. It's very easy to install on the glass door.
7. Emergency power supply in case of lost power.
8. Attendance function, Low voltage reminder, force unlock alarm, security against peeping password input.



65734 277658 83429

correct password

Hypocritical password



DM-420A

Intelligent Fingerprint Glass Double Lock

Color: Silver & Black

1. 4 ways to unlock: Fingerprint, Card, PIN Code, Remote Controller.
2. FPC fingerprint reader give you best security experience.
3. High security material, Strong enough to protect your home.
4. LED display screen, Easy to operate.
5. User-friendly operating system.
6. It's very easy to install on the glass door.
7. Emergency power supply in case of lost power.
8. Attendance function, Low voltage reminder, force unlock alarm, security against peeping password input.



65734 277658 83429

correct password

Hypocritical password



FINGERPRINT LOCK

FOR FRAMELESS GLASS DOOR



Fingerprint



Chargeable



USB Charge port



Zinc alloy material



Fast recognition



Long standby time

DORMAN®

Glass and Stainless Accessories
4162 Ibn Awm St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia
Tel: 2955509 Ext. 101
E-mail: accessories@mannaglass.sa | www.mannaglass.sa



074






DM-410
Centre Lock (Single Action)





DM-410B
Strike Box (Single Action)



DM-410C
Strike Box (Single Action)



Glass Edge




DM-411
Centre Lock (Single Action)



DM-411B
Strike Box (Single Action)




DM-411C
Strike Box (Single Action)




Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black




DM-412
Strike Box (Single Action)




DM-412B
Strike Box (Single Action)





DM-413
Strike Box (Single Action)



DM-413B
Strike Box (Single Action)



DM-413C




Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black



Premium Stainless Steel Quality




DM-414




DM-414B



DM-415B




DM-415



DM-416




DM-417




Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black




DM-418




DM-419



DM-420




DM-421




Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black




DM-422



DM-423




DM-424



DM-425


DM-426




Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black




DM-427




DM-428




DM-435




DM-435B




DM-429




DM-430




DM-436




DM-437




DM-431




DM-432




DM-436B




DM-437B



DM-433



DM-434



DM-438



DM-439




Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black

Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black





DM-400



DM-401



DM-440



DM-441



DM-442



DM-443



DM-444




DM-445


Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black




DM-446




DM-447




DM-448




DM-449



DM-449B



DM-448B



DM-401Z




DM-400Z


Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black




DM-450




DM-451




DM-452




DM-453




DM-454



DM-455



DM-456



DM-457

Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black



DM-458



DM-459




DM-460



DM-461



DM-462/463



DM-464/465



Material: Stainless Steel / Zinc
Grade: #304 / #316
Finished: PSS (Polished Stainless Steel)
SSS (Satin Stainless Steel)
Golden, Matte Black

▶ GLASS DOOR HINGES FITTINGS SERIES





Hydraulic Buffer Glass Door Hinges



NEW

DM-SH720HL (Hydraulic Hinge)






NEW

DM-SH730HL (Hydraulic Hinge)

Application range & glass door parameters:

This series of hydraulic glass hinge is suitable for tempered glass door without frame.
Suitable for Max door height 2100mm.
Suitable for Max door width 1000mm.
Glass door thickness: 8-12mm
Max. bearing weight of 45KG/2PCS





Material:
SUS 304/316



After the glass cut, it must be treated with steel processing, make sure the installation angle between the glass door & the ground is 90 degree when you install it.

The hydraulic glass door hinge can be adjusted for closing strength for 1, 2, 3 degree

Note: The door must be completely closed before you need to adjust the closing strength.



(Twist the arrow to the position of desire strength)



Customization
Left or right door installation.




Durable Construction
304 stainless steel components with 18/8 Chromium/Nickel content prevents rust while retaining superior strength.

304 ST



Available in three finishes
Clear, Clear with Privacy Panel or Sheer Black



DORMAN®

Glass and Stainless Accessories
4162 Ibn Awn St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia
Tel: 2955509 Ext. 101
E-mail: accessories@mannaglass.sa | www.mannaglass.sa




090




DM-SH720

90° Wall to Glass Fixing
Bevel Edge Round Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH720-1

90° Wall Edge to Glass Fixing
Bevel Edge Round Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH720-2

360° Pivot Glass Fixing
Bevel Edge Round Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH734

90° Glass to Glass Fixing
Bevel Edge Round Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH732

135° Glass to Glass Fixing
Bevel Edge Round Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH730

180° Glass to Glass Fixing
Bevel Edge Round Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




**DM-SH720C**


90° Wall to Glass Fixing
Cambered Surface Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH720-1C**


90° Wall Edge to Glass Fixing
Cambered Surface Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH720-2C**


360° Pivot Glass Fixing
Cambered Surface Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH734C**


90° Glass to Glass Fixing
Cambered Surface Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH732C**

135° Glass to Glass Fixing
Cambered Surface Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH730C**


180° Glass to Glass Fixing
Cambered Surface Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




Premium Stainless Steel Quality

**DM-SH720H**


90° Wall to Glass Fixing
Self-Positioned
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH720-1H**


90° Wall Edge to Glass Fixing
Self-Positioned
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH734H**


90° Glass to Glass Fixing
Self-Positioned
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH732H**

135° Glass to Glass Fixing
Self-Positioned
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass


**DM-SH730H**

180° Glass to Glass Fixing
Self-Positioned
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




**DM-SH720D**


90° Wall to Glass Fixing
Flat Square Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH720-1D**


90° Wall Edge to Glass Fixing
Flat Square Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH720-2D**


360° Pivot Glass Fixing
Flat Square Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH734D**


90° Glass to Glass Fixing
Flat Square Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH732D**


135° Glass to Glass Fixing
Flat Square Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH730D**


180° Glass to Glass Fixing
Flat Square Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH720F**


90° Wall to Glass Fixing
Semi-Circle Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH720-1F**


90° Wall Edge to Glass Fixing
Semi-Circle Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH720-2F**


360° Pivot Glass Fixing
Semi-Circle Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH734F**


90° Glass to Glass Fixing
Semi-Circle Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass

**DM-SH732F**

135° Glass to Glass Fixing
Semi-Circle Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass


**DM-SH730F**

180° Glass to Glass Fixing
Semi-Circle Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass







DM-SH720-1B
90° Wall Edge to Glass Fixing
Microscler Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH720B
90° Wall to Glass Fixing
Microscler Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH734B
90° Glass to Glass Fixing
Microscler Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH732B
135° Glass to Glass Fixing
Microscler Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH730B
180° Glass to Glass Fixing
Microscler Bevel Corner
for 8/10/12mm Glass
SSS, PSS, Gold & Black
SUS 304/316, Zinc, Brass




DM-SH721




DM-SH722




DM-SH702




DM-SH732




DM-SH611




DM-SH731




DM-SH376




DM-SH374



DM-SH375



DM-SH373




▶ SHELF GLASS CLAMPS & SUPPORTS SERIES





DM-AL3010

Accessories



DM-SGC218

Accessories



DM-SGC219




DM-SGC220




DM-SGC239

Accessories




DM-SGC238

Accessories



DM-SGC241



H: 60/80/100/120(mm)




DM-SGC278



DM-SGC277



DM-SGC240



Accessories




DM-SGC228



DM-SGC229



DM-SGC211



Accessories




DM-SGC212

Accessories




DM-SGC215

Accessories



DM-SGC215B

Accessories



DM-SGC234




DM-SGC235




DM-SGC204

Accessories




DM-SGC214

Accessories



DM-SGC213

Accessories



DM-SGC221



DM-SGC222



DM-SGC223



DM-SGC224





DM-SGC243



DM-SGC244



DM-SGC206



DM-SGC245



DM-SGC246



DM-SGC247



DM-SGC248



DM-SGC233



DM-SGC249



DM-SGC250



DM-SGC232



DM-SGC251



DM-SGC242



DM-SGC237



DM-SGC204-8



DM-SGC205



DM-SGC252



DM-SGC230




DM-SGC231



DM-SGC232



Tube Support Series



Technical Drawing

2021/2022

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-6

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-05



G90-11

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-03



G90-04



- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-25



DM-G90-24

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-26



DM-G90-02

- Material: Iron
- Finish: Nickel



DM-G90-22



DM-G90-23

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-16



DM-G90-20

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-09



DM-G90-17

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-15



DM-G90-07

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-8



DM-G90-10

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-12



DM-G90-27

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black



DM-G90-13



DM-G90-21

- Material: Zinc alloy
- Finish: Chrome, Brush Nickel, Golden, Matt Chrome, Pearl Nickel, Bronze, Green bronze, Lance Black




DM-G90-18




DM-G90-23

GLASS CONNECTORS FITTINGS SERIES






Beveled Trim Finish




DM-C7002C

Description : Glass Clips, Wall to Glass Connector
Size : 50mm x 50mm x 3.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc




DM-C7012C

Description : 90° Wall Edge-to-Glass Connector
Size : 50mm x 50mm x 3.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc




DM-C7021

Description : 180° Wall Edge To Glass Connector
Size : 50mm x 50mm x 3.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc




DM-C7025C

Description : 90° Glass-to-Glass Connector
Size : 50mm x 50mm x 3.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc



DM-C7023C

Description : 135° Glass-to-Glass Connector
Size : 50mm x 50mm x 2.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc




DM-C7020C

Description : 180° Glass-to-Glass Connector
Size : 50mm x 50mm x 2.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc




DM-7020

Description : 180° Glass-to-Glass Connector without Cut
Size : 92mm x 48mm
Glass Thickness : 8-10mm
Grade : 304, 316
Material : Stainless Steel Polished, Satin, Gold, Brass, Zinc




2 Sides-Beveled Trim Finish




DM-C7002CC

Description : Glass Clips, Wall to Glass Connector
Size : 50mm x 50mm x 3.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc




DM-C7012CC

Description : 90° Wall Edge-to-Glass Connector
Size : 50mm x 50mm x 3.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc




DM-C7021CC

Description : 180° Wall Edge To Glass Connector
Size : 50mm x 50mm x 3.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc




DM-C7025CC

Description : 90° Glass-to-Glass Connector
Size : 50mm x 50mm x 3.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc



DM-C7023CC

Description : 135° Glass-to-Glass Connector
Size : 50mm x 50mm x 2.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc



DM-C7020CC

Description : 180° Glass-to-Glass Connector
Size : 50mm x 50mm x 2.5mm
Glass Thickness : 8-10mm
Material : Brass Chrome Plated, Zinc






Beveled Rounded Corner Finish



DM-C7002AC

Description : Wall to Glass Connector
Size : 50mm x 65mm / 40mm x 55mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-C7012AC

Description : 90° Wall Edge-to-Glass Connector
Size : 50mm x 65mm / 40mm x 55mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-C721AC

Description : 180° Wall Edge-to-Glass Connector
Size : 50mm x 100mm x 65mm / 40mm x 80mm x 55mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-C7025AC

Description : 90° Glass-to-Glass Connector
Size : 50mm x 65mm / 40mm x 55mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-C7023AC

Description : 135° Glass-to-Glass Connector
Size : 50mm x 65mm / 40mm x 50mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated



DM-C7020AC

Description : 180° Glass-to-Glass Connector
Size : 40mm x 65mm x 50mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-T7450AP

Description : 180° Glass-to-Glass Connector
Size : 55mm x 100mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




Full Rounded Finish




DM-C7002RC

Description : Wall to Glass Connector
Size : 50mm x 65mm / 40mm x 55mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-C7012RC

Description : 90° Wall Edge-to-Glass Connector
Size : 50mm x 65mm / 40mm x 55mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-C7021RC

Description : 180° Wall Edge-to-Glass Connector
Size : 50mm x 100mm x 65mm / 40mm x 80mm x 55mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-C7025RC

Description : 90° Glass-to-Glass Connector
Size : 50mm x 65mm / 40mm x 55mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-C7023RC

Description : 135° Glass-to-Glass Connector
Size : 50mm x 65mm / 40mm x 50mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated



DM-C7020RC

Description : 180° Glass-to-Glass Connector
Size : 40mm x 65mm x 50mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated




DM-C7023RC


Description : 135° Glass-to-Glass Connector
Size : 55mm x 100mm
Glass Thickness : 8-10mm
Material : Zinc Chrome Plated

▶ SHOWER CONNECTORS FITTINGS SERIES




SUS
304
Stainless steel





Technical Drawing


High Quality Glass Related Hardware 2021/2022



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH103


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH114


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH105


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH112


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH102C


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH103C


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH105C


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH108


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH106


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH107


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH104C


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH109


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH101

Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH104

Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\Phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH110


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\Phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm

DM-SH113


Bathroom accessories



Material: Brass, Stainless Steel | Finish: PSS, SSS, Black and Titanium
Suitable for: $\Phi 19$ mm Dia. Stainless Steel Pipe | Fit for Glass Thickness: 8-12mm


DM-SH111

Bathroom accessories




DM-SH101T

Bathroom accessories




DM-SH107T

Bathroom accessories




DM-SH104T

Bathroom accessories




DM-SH105T

Bathroom accessories




DM-SH103ST

Bathroom accessories




DM-SH105TB

Bathroom accessories




DM-SH107TB

Bathroom accessories




DM-SH101TB

Bathroom accessories



DM-SH317

Bathroom accessories



DM-SH104TB

Bathroom accessories

▶ SHOWER ENCLOSURES FITTINGS SERIES





DM-S901P



DM-S901P-1-2



DM-S901P-2-2




DM-S901P-3-2



DM-S901P-4-2




DM-S901P-5-2



DM-S901P-6-1



DM-S901P-7-1





TU3010123

Finished : SSS/PSS/Titanium


Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

30X10 installation of square pipe with jumping-proof pillar



30X10 Sectional installation of square pipe with jumping-proof pillar





DM-S901G




Finished : Golden

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

30X10 installation of square pipe with jumping-proof pillar



DM-S901B




Finished : Black

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

30X10 installation of square pipe with jumping-proof pillar





DM-S900P



DM-S900P-1-2



DM-S900P-2-2




DM-S900P-3-2



DM-S900P-4-2




DM-S900P-5-2



DM-S900P-6-1



DM-S900P-7-1




TU03010153

Finished : SSS/PSS/Titanium

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

15x30 Flat elliptical pipe with jumper proof plan installation





DM-S900G



DM-S900G-1-2



DM-S900G-2-2



DM-S900G-3-2



DM-S900G-4-2




DM-S900G-5-2



DM-S900G-6-1



DM-S900G-7-1




TU03010153G

Finished : Golden

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

15x30 Flat elliptical pipe with jumper proof plan installation



DM-S900B



DM-S900B-1-2



DM-S900B-2-2



DM-S900B-3-2



DM-S900B-4-2



DM-S900B-5-2



DM-S900B-6-1



DM-S900B-7-1




TU03010153B


Finished : Black

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

15x30 Flat elliptical pipe with jumper proof plan installation





SUS 304
Stainless steel

SUS 316
Stainless steel



DORMAN®

Glass and Stainless Accessories
4162 Ibn Awn St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia
Tel: 2955509 Ext. 101
E-mail: accessories@manglass.sa | www.manglass.sa



132

DM-S903P



DM-S903P-1-2




DM-S903P-2-2



DM-S903P-3-2




DM-S903P-4-2



DM-S903P-5-1



DM-S903P-6-1




TU3010123

Finished : SSS/PSS/Titanium

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

30X10 installation of square pipe





DM-S903G



DM-S903G-1-2



DM-S903G-2-2



DM-S903G-3-2



DM-S903G-4-2



DM-S903G-5-1



DM-S903G-6-1




TU3010123G

Finished : Golden

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

30X10 installation of square pipe



DM-S903B



DM-S903B-1-2



DM-S903B-2-2



DM-S903B-3-2



DM-S903B-4-2



DM-S903B-5-1



DM-S903B-6-1




TU3010123B

Finished : Black


Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

30X10 installation of square pipe







P1912



TU3010123

DM-M800BG



DM-M800BG-1-2



DM-M800BG-2-4



DM-M800BG-3-1



DM-M800BG-4-1



DM-M800BG-5-1



DM-M800BG-6-1



DM-M800BG-7-1





P2524B

Finished : Black


Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.


Ø 25 hollow duct tape the jump bar section Installation



OW=overpanel width
SW=sidelight width
DW=door width



Ø 25 hollow duct tape the jump bar section
installation drawing





DM-M801SG




DM-M801SG-1-2




DM-M801SG-2-4



DM-M801SG-3-1



DM-M801SG-4-1



DM-M801SG-5-1



DM-M801SG-6-2



DM-M801SG-7-1





P2524

Finished : SSS/PSS/Titanium/Golden/Black


Material : Stainless Steel 304


• Above application is just for reference, will be changed according to the actual scene.

Ø 25 hollow duct tape the jump bar section Installation



OW=overpanel width
SW=sidelight width
DW=door width





DM-M802SG



DM-M802SG-1-2



DM-M802SG-2-4



DM-M802SG-3-1



DM-M802SG-4-1



DM-M802SG-5-1



DM-M802SG-6-2



DM-M802SG-7-1





P2524

Finished : SSS/PSS/Titanium/Golden/Black


Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

Ø 25 hollow duct tape the jump bar section Installation



OW=overpanel width
SW=sidelight width
DW=door width





SUS
304
Stainless steel

SUS
316
Stainless steel



Available
Upon Request

DORMAN®

Glass and Stainless Accessories
4162 Ibn Awn St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia
Tel: 2955509 Ext. 101
E-mail: accessories@mannaglass.sa | www.mannaglass.sa



150

HANGING WHEEL



DM-SW703S



SW703S-1-2



SW703S-2-2



SW703S-3-1





SW703S-4-1

Finished : SSS/PSS/Titanium/Golden/Black

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

Heavy duty sliding door roller / hanging wheel Installation



SUS
304
Stainless steel

SUS
316
Stainless steel



Optional Al. Profile

DORMAN®

Glass and Stainless Accessories
4162 Ibn Awn St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia
Tel. 2955509 Ext. 101
E-mail: accessories@mangglass.sa | www.mangglass.sa



152

DM-SW702S

HANGING WHEEL



SW702S-1-2



SW702S-2-1



SW702S-3-1



SW702S-4-1



SW702S-5-1







SW702S-6-1

Finished : SSS/PSS/Titanium/Golden/Black

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

Heavy duty sliding door roller / hanging wheel Installation





SUS
304
Stainless steel



DORMAN®

Glass and Stainless Accessories
4162 Ibn Awm St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia
Tel: 2955509 Ext. 101
E-mail: accessories@manglass.sa | www.manglass.sa



154

HANGING WHEEL



DM-SW701S



SW701S-1-1



SW701S-2-2



SW701S-3-1








SW701S-4-1

Finished : SSS/PSS/Titanium/Golden/Black

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

Heavy duty sliding door roller / hanging wheel Installation





SUS
304
Stainless steel



DORMAN®

Glass and Stainless Accessories
4162 Ibn Awn St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia
Tel: 2955509 Ext. 101
E-mail: accessories@manglass.sa | www.manglass.sa



156

DM-SW700S

HANGING WHEEL



SW700S-1-1



SW700S-2-2



SW700S-3-1







SW700S-4-1

Finished : SSS/PSS/Titanium/Golden/Black

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.




Heavy duty sliding door roller / hanging wheel Installation



SLIDING DOOR ALUMINUM RAIL



SUS
304
Stainless steel



DM-SW704DZ



DOOR TOP TRACK



ROLLER (2PCS)



90 DEG. CONNECTOR



SWALL BRACKET (2PCS)



STOPPER






FLOOR GUIDE

Finished : SSS/PSS/Titanium/Golden/Black

Material : Stainless Steel 304

• Above application is just for reference, will be changed according to the actual scene.

Heavy duty sliding door System






GLASS SLIDING DOOR ACCESSORIES



The maximum weight 300kg

Materials: 304 Stainless steel

Finish: Stainless steel / Polish
Satin / Titanium / Black



DM-M800-1


Glass hanging wheel



The maximum weight 300kg

Materials: 304 Stainless steel

Finish: Stainless steel / Polish
Satin / Titanium / Black



DM-M800-2


Glass hanging wheel



The maximum weight 300kg

Materials: 304 Stainless steel

Finish: Stainless steel / Polish
Satin / Titanium / Black




DM-M800-3

Glass hanging wheel




GLASS SLIDING DOOR ACCESSORIES




DM-M720

Bathroom accessories




DM-M734

Bathroom accessories




DM-M732

Bathroom accessories




DM-M730

Bathroom accessories




DM-M7012

Bathroom accessories




DM-M7025

Bathroom accessories



DM-M7023

Bathroom accessories



DM-M7020

Bathroom accessories




GLASS SLIDING DOOR ACCESSORIES



The maximum weight 300kg

Materials: 304 Stainless steel

Finish: Stainless steel / satin



DM-800-1D


Glass hanging wheel



The maximum weight 300kg

Materials: 304 Stainless steel

Finish: Stainless steel / satin



DM-S903-1


Glass hanging wheel



The maximum weight 300kg

Materials: 304 Stainless steel

Finish: Stainless steel / satin



DM-SW905-1


Glass hanging wheel



The maximum weight 300kg

Materials: 304 Stainless steel

Finish: Stainless steel / satin



DM-SW906-1

Glass hanging wheel




GLASS SLIDING DOOR ACCESSORIES



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-M800-102

Clamp fixing for track



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-M800-104

Clamp fixing for track



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-M800-106

Clamp fixing for track



Materials: 304 Stainless steel

Finish: Stainless steel / satin



DM-M800-107

Clamp fixing for track



GLASS SLIDING DOOR ACCESSORIES



Materials: 304 Stainless steel

Finish: Stainless steel / satin



DM-M800-107

Glass hanging wheel



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-M800-108

Glass hanging wheel



Materials: 304 Stainless steel

Finish: Stainless steel / satin



DM-M800-10

Glass hanging wheel




GLASS SLIDING DOOR ACCESSORIES



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-S901-1

Clamp fixing for track



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-M800-12

Clamp fixing for track



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-M800-13

Clamp fixing for track



Materials: 304 Stainless steel

Finish: Stainless steel / satin



DM-M800-14


Clamp fixing for track



GLASS SLIDING DOOR ACCESSORIES



Materials: 304 Stainless steel
Finish: Stainless steel / satin




DM-M800-15

Glass hanging wheel



Materials: 304 Stainless steel
Finish: Stainless steel / satin



DM-M800-16


Glass hanging wheel



GLASS SLIDING DOOR ACCESSORIES



Materials: 304 Stainless steel
Finish: Stainless steel / satin




DM-800L

Localizer (left)



Materials: 304 Stainless steel
Finish: Stainless steel / satin




DM-800R

Localizer (right)



Materials: 304 Stainless steel
Finish: Stainless steel / satin



DM-800R1

Localizer





GLASS SLIDING DOOR ACCESSORIES



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-M800-17

Glass hanging wheel



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-M800-18

Glass hanging wheel



Materials: 304 Stainless steel

Finish: Stainless steel / satin




DM-M800-7

Glass hanging wheel



Materials: 304 Stainless steel

Finish: Stainless steel / satin



DM-M800-19

Glass hanging wheel




GLASS SLIDING DOOR ACCESSORIES



Materials: 304 Stainless steel

Finish: Chromium / satin




DM-SH103|DM-SH104

Clamp fixing for track



Materials: 304 Stainless steel

Finish: Chromium / satin / black / titanium



DM-M800-101

Clamp fixing for track



Materials: 304 Stainless steel

Finish: Chromium / satin



DM-M800-106


Clamp fixing for track



DM-MH6|DM-MH5

Clamp fixing for track

▶ SHOWER SUPPORT BARS SERIES




Shower Support Bar
Adjustable length:700-1200mm







SHOWER SUPPORT BARS




DM-73-5P | Material: SUS304/SUS316 Stainless Steel | Finish: Satin/Polish/PVD



DM-73-3AP | Material: SUS304/SUS316 Stainless Steel | Finish: Satin/Polish/PVD




DM-73-6P | Material: SUS304/SUS316 Stainless Steel | Finish: Satin/Polish/PVD




DM-73-7P | Material: SUS304/SUS316 Stainless Steel | Finish: Satin/Polish/PVD




SHOWER SUPPORT BARS



DM-73-1P | Material: SUS304/SUS316 Stainless Steel | Finish: Satin/Polish/PVD




DM-73-3P | Material: SUS304/SUS316 Stainless Steel | Finish: Satin/Polish/PVD



DM-73-2P | Material: SUS304/SUS316 Stainless Steel | Finish: Satin/Polish/PVD

FORMAT	SIZE(mm)			
	A	Lmin	Lmax	D
Ø25x320	320	350	520	25
Ø25x620	620	650	860	25
Ø25x850	850	880	1300	25
FINISH	MIRRO POLISHED/PLATING			



DM-73-4P | Material: SUS304/SUS316 Stainless Steel | Finish: Satin/Polish/PVD

► SHOWER SEALS FITTINGS SERIES





SEALING STRIPS

- Waterproof sealing strip for glass

DM-SS7034



Size (MM):10,12



- Waterproof sealing strip for 180° glass to glass

DM-SS7016



Size (MM):10,12



- Waterproof sealing strip with wool pile for glass to wall

DM-SS7031



Size (MM):10,12



- For glass to glass self adhesive I Sealing Strip

DM-SS7018



Size (MM):10,12



FEATURES

- Made of co-extruded vinyl, the seals are clip-on to glass edges with the seal part profiles shaped to achieve desired functions such as water ingress, air infiltration impact cushioning and holding etc.
- Suitable for 6, 8, 10, 12 and 15mm glass thickness.
- Available in different standard length: 2.2m, 2.7m, 2.8m, 3m.
- Custom-made thickness is available upon request.
- Custom-made length is available upon request.

Standard Specifications:

Model No.	Glass Thickness (mm)	Length (m)
DMSS-06A	06,08,10,12,15	2.7 (Fin: 11mm)
DMSS-08A	06,08,10,12,15	2.7 (Fin: 11mm)
DM-SS703	06,08,10,12,15	2.7 (Fin: 11 / 16mm)
DMSS-12A	06,08,10,12,15	2.7 (Fin: 11mm)
DMSS-14A	06,08,10,12,14	3.0 (Fin: 11 / 25mm)
DMSS-15A	06,08,10,12,15	3.0 (Fin: 11 / 16mm)
DMSS-08B	06,08,10,12,15	2.7 (Fin: 11mm)
DM-SS704	06,08,10,12,15	
DM-SS709	06,08,10,12,15	
DMSS-08C	06,08,10,12,15	2.7
DM-SS7017	06,08,10,12,15	
DMSS-12C	06,08,10,12,15	
DMSS-08D	06,08,10,12,15	2.7 (Fin: 16mm)
DM-SS7013	06,08,10,12,15	
DMSS-12D	06,08,10,12,15	
DMSS-08E	06,08,10,12,15	
DM-SS7032	06,08,10,12,15	2.2 or 2.7
DMSS-12E	06,08,10,12,15	2.7 or 3.0
DMSS-14E	06,08,10,12,14	3.0
DMSS-15E	06,08,10,12,15	
DMSS-08F	06,08,10,12,15	2.2 (Fin: 11mm)
DM-SS7011	06,08,10,12,15	2.2 (Fin: 11 / 16mm)
DMSS-12F	06,08,10,12,15	2.7 (Fin: 16 / 22mm)
DMSS-14F	06,08,10,12,14	2.8 or 3.0 (Fin: 22mm)
DMSS-10G	06,08,10,12,15	3.0 (Fin: 22mm)
DMSS-08U	06,08,10,12,15	2.7 (Fin: 11mm)
DM-SS7034	06,08,10,12,15	2.2
DMSS-12U	06,08,10,12,15	2.7
DMSS-15U	06,08,10,12,15	3.0
DMSS-08CM	06,08,10,12,15	2.2
DM-SS7010	06,08,10,12,15	2.2 or 2.8
DMSS-10J	06,08,10,12,15	2.8
DMSS-12J	06,08,10,12,15	3.0
DM-SS7031	06,08,10,12,15	2.8
DM-SS7016	06,08,10,12,15	2.8
DM-SS7018	06,08,10,12,15	2.8



SEALING STRIPS



- With magnet or holding in closed position

DM-SS7010





- For butting inset shower doors

DM-SS709



- For 180° glass to glass

DM-SS703



- Glass to floor seal

DM-SS704



SEALING STRIPS




- For 180° glass to wall/glass

DM-SS7017




- For 135° glass to wall/glass

DM-SS7013




- Waterproof sealing strip w/ wool pile for glass F type

DM-SS7032



- For 90° glass to wall/glass

DM-SS7011



▶ SHOWER DOOR KNOB HANDLES SERIES

SUS
304
Stainless steel



Glass Door Knob






Description: Shower Glass Door Knob



Material: Crystal



Finish: White, Black, Red, Blue



DM-KN950AC




Description: Shower Glass Door Knob



Material: Aluminum, Stainless Steel



Finish: Satin, Polish



DM-KN3013




Description: Shower Glass Door Knob



Material: Aluminum



Finish: Satin, Polish



DM-KN3010




Description: Shower Glass Door Knob



Material: Aluminum, Stainless Steel



Finish: Satin, Polish



DM-KN950A




Description: Shower Glass Door Knob



Material: Aluminum, Stainless Steel



Finish: Satin, Polish



DM-KN950D




Description: Shower Glass Door Knob



Material: Crystal



Finish: White, Black, Red, Blue



DM-KN950EC




Description: Shower Glass Door Knob



Material: Crystal



Finish: White, Black, Red, Blue



DM-KN3012




Description: Shower Glass Door Knob



Material: Aluminum



Finish: Satin, Polish



DM-KN3011




Description: Shower Glass Door Knob



Material: Aluminum, Stainless Steel



Finish: Satin, Polish



DM-KN950E




Description: Shower Glass Door Knob



Material: Aluminum, Stainless Steel



Finish: Satin, Polish



DM-KN286




Description: Shower Glass Door Knob



Material: Crystal



Finish: White, Black, Red, Blue



DM-KN950SC




Description: Shower Glass Door Knob



Material: Aluminum



Finish: Satin, Polish



DM-KN287




Description: Shower Glass Door Knob



Material: Aluminum



Finish: Satin, Polish



DM-KNH




Description: Shower Glass Door Knob



Material: Aluminum



Finish: Satin, Polish



DM-KN14




Description: Shower Glass Door Knob



Material: Aluminum



Finish: Satin, Polish



DM-KN3016




Description: Shower Glass Door Knob



Material: Crystal



Finish: White, Purple, Pink



DM-KN950RCA | DM-KN950RCB | DM-KN950RCT | DM-KN950RCP




Description: Shower Glass Door Knob



Material: Aluminum



Finish: Satin, Polish



DM-KN05




Description: Shower Glass Door Knob



Material: Aluminum



Finish: Satin, Polish



DM-KN3007




Description: Shower Glass Door Knob



Material: Aluminum



Finish: Satin, Polish



DM-KN3014




Description: Shower Glass Door Knob



Material: Aluminum





Finish: Satin, Polish



DM-KN3015

▶ GLASS DOOR HANDLES SERIES





DORMAN®

DM-O305

SIZE DETAILS (MM)				
D	L	H	R	
19	150	70	35	
19	200	70	35	
32	305	70	42	
32	450	70	42	
32	600	70	42	
32	800	70	42	
32	1000	70	42	

Polished Stainless Steel
Satin Stainless Steel
Golden, Black, White

MATERIAL/FINISHED

High Quality Stainless Steel SUS
Rustproof & Durable 201/304


DM-921

SIZE DETAILS (MM)					
D	L	H	R	W	
32	305	85	42	110	
32	350	85	42	110	
32	450	85	42	110	
32	600	85	42	110	
32	800	85	42	110	
32	1000	85	42	110	
32	1200	85	42	110	

Polished Stainless Steel
Satin Stainless Steel
Golden, Black, White

MATERIAL/FINISHED

High Quality Stainless Steel SUS
Rustproof & Durable 201/304




DM-931

SIZE DETAILS (MM)						
D	L	H	R	R1	W	
25	305	75	35	150	195	
32	305	85	42	150	195	

MATERIAL/FINISHED

Polished Stainless Steel SUS
Satin Stainless Steel 201/304
Golden, Black, White




DM-932

SIZE DETAILS (MM)					
D	L	H	R	W	
32	305	85	42	150	

MATERIAL/FINISHED

Polished Stainless Steel SUS
Satin Stainless Steel 201/304
Golden, Black, White



DM-G40KNP

SIZE DETAILS (MM)			
A	B	C	D
400	190	62	300
450	190	62	300
600	190	62	300
400	250	62	300
450	250	62	300

MATERIAL/FINISHED

Polished Stainless Steel
Satin Stainless Steel
Golden, Black, White

SUS
201/304



DM-G40


SIZE DETAILS (MM)		
A	B	C
400	190	68
450	190	68
400	250	68
450	250	68

MATERIAL/FINISHED

Polished Stainless Steel
Satin Stainless Steel
Golden, Black, White

SUS
201/304

DORMAN®



DM-G4020A

SIZE DETAILS (MM)		
A	B	C
400	150	190
400	200	190
450	150	190
400	200	250
450	200	250

MATERIAL/FINISHED

Polished Stainless Steel
Satin Stainless Steel
Golden, Black, White

SUS
201/304

DORMAN®



DM-G4020B

SIZE DETAILS (MM)		
A	B	C
400	150	190
400	200	190
450	150	190
400	200	250
450	200	250

MATERIAL/FINISHED

Polished Stainless Steel
Satin Stainless Steel
Golden, Black, White

SUS
201/304

DM-G4020


SIZE DETAILS (MM)		
A	B	C
400	150	190
400	200	190
450	150	190
400	200	250
450	200	250

MATERIAL/FINISHED

Polished Stainless Steel
Satin Stainless Steel
Golden, Black, White

High Quality Stainless Steel
Rustproof & Durable

SUS
201/304



SQUARE TYPE

DM-GT402025

SIZE DETAILS (MM)

A	B	C
400	150	25*25
400	200	25*25
450	150	25*25
400	200	25*25
450	200	25*25

MATERIAL/FINISHED

Polished Stainless Steel
Satin Stainless Steel
Golden, Black, White
High Quality Stainless Steel
Rustproof & Durable


SUS
201/304

DORMAN®

Wooden SS Handle



SUS 201/304




DM-938W

SIZE DETAILS (MM)

A	B	C
600	305	32

SUS 201/304

Wooden Stainless Steel Handle




DM-659W

SIZE DETAILS (MM)

A	B	C
600	305	32

SUS 201/304

Wooden Stainless Steel Handle




DM-H681W

SIZE DETAILS (MM)

A	B	C
600	305	32

SUS 201/304

Wooden Stainless Steel Handle




DM-682W

SIZE DETAILS (MM)

A	B	C
600	305	32

SUS 201/304

Wooden Stainless Steel Handle



DM-0600

SIZE DETAILS (MM)

A	B	C
600	305	32
300	150	25

SUS 201/304

Stainless Steel Handle



DM-H680K

SIZE DETAILS (MM)

A	B	C
600	305	32
300	150	25

SUS 201/304

Acrylic Crystal Handle




Acrylic Crystal Handle



SUS 201/304



DORMAN®



PSS, SSS, Golden, Black & White
SUS 201/304

DM-H680

SIZE DETAILS (MM)

A	B	C
600	305	32
300	150	25



PSS, SSS, Golden, Black & White
SUS 201/304

DM-H955

SIZE DETAILS (MM)

A	B	C
600	305	32
Rustproof & Durable		




PSS, SSS, Golden, Black & White
SUS 201/304

DM-1071

SIZE DETAILS (MM)

A	B	C
1000	800	38
600	305	38




PSS, SSS, Golden, Black & White
SUS 201/304

DM-719

SIZE DETAILS (MM)

A	B	C
600	305	32




PSS, SSS, Golden, Black & White
SUS 201/304

DM-S600

SIZE DETAILS (MM)

A	B	C
600	305	32




PSS, SSS, Golden, Black & White
SUS 201/304

DM-H990

SIZE DETAILS (MM)

A	B	C
600	305	32



PSS, SSS, Golden, Black & White
SUS 201/304

DM-H991

SIZE DETAILS (MM)

A	B	C
600	305	32




PSS, SSS, Golden, Black & White
SUS 201/304

DM-H992

SIZE DETAILS (MM)

A	B	C
600	305	32



PSS, SSS, Golden, Black & White
SUS 201/304

DM-H993

SIZE DETAILS (MM)

A	B	C
600	305	32






Polished Stainless Steel
Satin Stainless Steel
Golden, Black, White
SUS 201/304

DM-H450

SIZE DETAILS (MM)

A	B	C
1800	1300	38
1500	1000	38
1200	900	38
1000	800	38
1000	700	38
800	600	38
800	500	38
600	305	38
600	305	32
450	305	32




PSS, SSS, Golden, Black & White
SUS 201/304

DM-TB921

SIZE DETAILS (MM)

A	B	C
1800	1775	25*38
1500	1475	25*38
1200	1175	25*38
1000	975	25*38
800	775	25*38
600	575	25*38




PSS, SSS, Golden, Black & White
SUS 201/304

DM-920

SIZE DETAILS (MM)

A	B	C
330	305	25

High Quality Stainless Steel
Rustproof & Durable




PSS, SSS, Golden, Black & White
SUS 201/304

DM-TB600

SIZE DETAILS (MM)

A	B	C
1800	1300	25*25
1500	1000	25*25
1200	900	25*25
1000	800	25*25
800	500	25*25
600	305	25*25



PSS, SSS, Golden, Black & White
SUS 201/304

DM-H915

SIZE DETAILS (MM)

A	B	C
1000	800	32
600	305	32
300	150	25




SUS 201/304



Half Round H Handle

DORMAN®



PSS, SSS, Golden, Black & White
SUS 201/304

DM-HR1200

SIZE DETAILS (MM)

A	B	C
1200	900	38
1000	800	38
800	500	38
600	305	38



PSS, SSS, Golden, Black & White
SUS 201/304

DM-391

SIZE DETAILS (MM)

A	B	C
450	110	32

High Quality Stainless Steel
Rustproof & Durable




PSS, SSS, Golden, Black & White
SUS 201/304

DM-393

SIZE DETAILS (MM)

A	B	C
400	310	32

High Quality Stainless Steel
Rustproof & Durable



PSS, SSS, Golden, Black & White
SUS 201/304


DM-398W

SIZE DETAILS (MM)

A	B	C
600	305	32

Wooden Stainless Steel
Rustproof & Durable

DORMAN®



PSS, SSS, Golden, Black & White
SUS 201/304

DM-399W

SIZE DETAILS (MM)

A	B	C
600	305	32

Wooden Stainless Steel
Rustproof & Durable



DM-BIK


SIZE DETAILS (MM)

A	B	C
1800	1500	38
1500	1300	38
1200	900	38
1000	800	38
800	500	38
600	305	38

Available Grades

201/304

High Quality Stainless Steel
Rustproof & Durable



Stainless Steel H Handle



SUS 201/304





Stainless Steel H-Type Lock Handle
SUS 201/304



DM-HL2000P

CODE	SIZE DETAILS (MM)					FINISHED
	A	B	C	D	E	

2000P	38Ø	2000	1850	720	75	PSS/SSS
--------------	------------	-------------	-------------	------------	-----------	----------------

Fitting Screw: M8


Fitting Hole: Wooden Doors 14Ø

Frame Doors: 10Ø / Glass Doors 14Ø


Available Grades

201/304

High Quality Stainless Steel
Rustproof & Durable



POINT FIXED GLASS FITTINGS SERIES




POINT FIXED ARCHITECTURAL GLASS CONNECTORS & DOOR FITTINGS

The Point Fixed Door Fittings gives the typical 'all-glass' door a totally new look! The design provides a better grip to the glass since its holding is upwards from the glass bottom edge. The fittings also come with counter sunk head providing a flush glass look.

The range of Point Fixed Fittings comprise of wall to glass & glass to glass connectors along with door fittings suitable for swing doors.

total
VISION_{tm}



DORMAN®

Glass and Stainless Accessories
4162 Ibn Awl St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia
Tel: 2955509 Ext. 101
E-mail: accessories@mannaglass.sa | www.mannaglass.sa



204


DM-M820

Holding Glass with Wall

POINT FIXED FITTINGS



- Specifications**
Wall to Glass Connector 90°
- Firm grip
 - Adjustable within $\pm 2.5\text{mm}$
 - No projection from glass
 - Stainless Steel Grade 304
 - Also available without CSK Head
- Options: • DM-M820-52.5 • DM-M820-60
• DM-M820-82 • DM-M820-103




Wall to Glass Connector

DM-M840

Holding Glass with Floor/Ceiling



- Specifications**
Floor/Ceiling to Glass Connector 90°
- Firm grip
 - Adjustable within $\pm 2.5\text{mm}$
 - No projection from glass
 - Stainless Steel Grade 304
 - Also available without CSK Head
- Options: • DM-M840-75 • DM-M840-103




Ceiling to Glass Connector

DM-M810

Holding Glass with Glass



- Specifications**
Glass to Glass connector
- Firm grip
 - Adjustable within $\pm 2.5\text{mm}$
 - No projection from glass
 - Stainless Steel Grade 304
 - Also available without CSK Head
- Options: • DM-M810-52.5 • DM-M810-60
• DM-M810-82 • DM-M810-103




Glass to Glass Connector 90°

DM-M860

Holding Glass with Glass and a Third Glass at 90°





- Specifications**
Through Glass Connector (for 90° partitioning)
- Firm grip
 - Adjustable within $\pm 2.5\text{mm}$
 - No projection from glass
 - Stainless Steel Grade 304
 - Also available without CSK Head
- Options: • DM-M860-52.5 • DM-M860-60
• DM-M860-82 • DM-M860-103



Glass to Glass Through Clamping Connector
Dimension shown are for 60mm connecting rod length

Wall Fixing Assembly To Components






Glass to Wall Connector

DM-M820**GLASS CUT OUT**

For Glass / Connectors for 10mm and 12mm thick Toughened Glass.
All glass Connectors are available in screw on type.

CORNER CONNECTION-SURFACE TO GLASS FOR DM-M820



ANGLE	CONNECTING ROD LENGTH IN MM			
90°	52.5	60	82	103
	A/B	A/B	A/B	A/B
	67/75	72/80	87.5/96	102.5/111

**DM-M810**

Connecting Rod size and angle :
(Dim. in mm for 10mm Glass. For other Glass Thickness please adapt accordingly.)




CORNER CONNECTION-GLASS TO GLASS FOR DM-M810

ANGLE	LENGTH OF CONNECTING ROD IN MM			
	52.5	60	82	103
	A/B	A/B	A/B	A/B
90°	75	80	96	NA
95°	70	75	90	
100°	66	71	85	
105°	62	67	81	
110°	59	63	77	
115°	55	60	73	
120°	52	56	69	
125°	49	54	66	
130°	47	51	63	
135°	44	48	60	



INSTALLATION CONCEPTS

POINT FIXED FITTINGS





POINT FIXED DOOR FITTINGS COUNTER SUNK HEAD

DM-M360R


To Secure Over Panel and Side Panel at the Opening Edge of Door



Specifications

Over Panel Side Panel Connector

- Counter Sunk Hole Fittings
- Effective holding of side panel with over panel
- Stainless Steel Grade 304
- Integrates side panel and over panel
- Handing policy to be determined by looking from outside of the structure



View from outside

DM-M410R


To Hold Over Panel and Side Panel and Pivot for DM-M20



Specifications

Over Panel Side Panel Connector with Pivot

- Counter Sunk Hole Fittings
- Effective holding of side panel with over panel
- Stainless Steel Grade 304
- Ensures centralized positioning
- With pivot pin of 15mm diameter
- Handing policy to be determined by looking from outside of the structure



View from outside

DM-M410L


To Hold Over Panel and Side Panel and Pivot for DM-M20



Specifications

Over Panel Side Panel Connector with Pivot

- Counter Sunk Hole Fittings
- Effective holding of side panel with over panel
- Stainless Steel Grade 304
- Ensures centralized positioning
- With pivot pin of 15mm diameter
- Handing policy to be determined by looking from outside of the structure



View from outside

DM-201


Top Pivot for Patch Fittings/Point Fixed Fitting



Specifications

Stainless Steel Pivot

- Top pivot with 15mm diameter pin
- Wear resistant SS 304 pivot pin
- Pivot held in overhead structure
- Finish SSS




SUS 316
 Stainless steel

SUS 304
 Stainless steel



▶ SPIDER GLASS CURTAIN WALL SYSTEM SERIES



The logo for Spider Fixings, featuring the words "Spider" and "Fixings" in a bold, blue, sans-serif font, stacked vertically.


**Spider
Fixings**

The background of the advertisement is a composite of three images. The left image shows a low-angle view of a modern building's glass facade with a black spider fixings system. The middle image is a solid blue vertical band with white dashed circular patterns. The right image is a close-up of a silver spider fixings system holding glass panels.


**THE NEW GENERATION
PROTECT WITH 2K**

**DM-SP1201**


- Specifications**
One Way Spider Without Fin
 • 156mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black

**DM-SP2Y201**


- Specifications**
Two Way Spider 90°
 • 220mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black

**DM-SP2201**


- Specifications**
Two Way Spider 180°
 • 220mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black

**DM-SP3201**


- Specifications**
Three Way Spider
 • 220mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black

**DM-SP4201**


- Specifications**
Four Way Spider
 • 220mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black

**DM-SPP1201**


- Specifications**
One Way Spider Without Fin
 • 156mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black

**DM-SPP2201**


- Specifications**
Two Way Spider 180°
 • 220mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black

**DM-SPP2Y201**


- Specifications**
Two Way Spider 90°
 • 220mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black

**DM-SPP3201**

- Specifications**
Three Way Spider
 • 220mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black

**DM-SPP4201**

- Specifications**
Four Way Spider
 • 220mm arm
 • Attached to a fixed structure
 • Installed with routels
 • Stainless Steel Grade 201/304/316
 • Finish: PSS/SSS/Golden/Black





DM-SPS150

Specifications
Fin Plate 150mm


- One Point holding of Fin
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Flat base to hold strongly with floor or ceiling
- Stainless Steel Grade 201/304/316
- Finish: SSS



DM-SPS200

Specifications
Fin Plate 200mm


- Two Point holding of Fin
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Flat base to hold strongly with floor or ceiling
- Stainless Steel Grade 201/304/316
- Finish: SSS



DM-SPS300

Specifications
Fin Plate 300mm


- Three point holding of Fin
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Flat base to hold strongly with floor or ceiling
- Stainless Steel Grade 201/304/316
- Finish: SSS



DM-SPS350

Specifications
Fin Plate 350mm


- Three point holding of Fin
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Flat base to hold strongly with floor or ceiling
- Stainless Steel Grade 201/304/316
- Finish: SSS



DM-SPS400

Specifications
Fin Plate 400mm


- Three point holding of Fin
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Flat base to hold strongly with floor or ceiling
- Stainless Steel Grade 201/304/316
- Finish: SSS



DM-SPC201

Specifications
Splice Plate 170mm


- One point holding with each fin part
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Stainless Steel Grade 201/304/316
- Finish: SSS



DM-SPM200

Specifications
Splice Plate 200mm


- Two point holding with each fin part
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Stainless Steel Grade 201/304/316
- Finish: SSS



DM-SPM250

Specifications
Splice Plate 250mm


- Three point holding with each fin part
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Stainless Steel Grade 201/304/316
- Finish: SSS



DM-SPM300

Specifications
Splice Plate 300mm


- Three point holding with each fin part
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Stainless Steel Grade 201/304/316
- Finish: SSS



DM-SPM350


Specifications
Splice Plate 350mm

- Three point holding with each fin part
- Elongated holes allows installation flexibility
- Teflon washers to prevent damage to glass
- Stainless Steel Grade 201/304/316
- Finish: SSS






DM-SP904201



• SUS 201/304/316 Grade




DM-CF103



• SUS 201/304/316 Grade




DM-CF102



• SUS 201/304/316 Grade




DM-CF104



• SUS 201/304/316 Grade




DM-CF101



• SUS 201/304/316 Grade



DM-CF105



• SUS 201/304/316 Grade




DM-CF100



• SUS 201/304/316 Grade



DM-CF106



• SUS 201/304/316 Grade



DM-CF107



• SUS 201/304/316 Grade




DM-CF108



• SUS 201/304/316 Grade




Suggestive Product Installation & Concept



DM-CF109

Specifications

- Stainless Steel 201/304/316 Grade
- Brushed Finish
- Plate Thickness (Base And Fin) = 10mm
- Wall Mounted With Fasteners
- Max Glass Size (using 2 fittings)=1800mm X 1100mm
- Slope = 5°
- Available along with Laminated Safety Glass of 12.52mm Thickness (Optional)
- Glass fixed at 4 points on 1 pair of fitting




DM-CF110

Specifications

- Stainless Steel 201/304/316 Grade
- Brushed Finish
- Plate Thickness (Base And Fin) = 10mm
- Wall Mounted With Fasteners
- Max Glass Size (using 2 fittings)=1800mm X 1100mm
- Slope = 5°
- Available along with Laminated Safety Glass of 12.52mm Thickness (Optional)
- Glass is slid and kept on 1 pair of fitting in center slot






**STAINLESS STEEL
HANDRAIL SPECIALIST
2021/2022**

CLIPS & STANDOFFS FITTINGS SERIES




CLIPS & STANDOFFS FITTINGS SERIES




**STAINLESS
STEEL**

Installation diagram






CLIPS & STANDOFFS FITTINGS SERIES




► DM-HD5000RC

- Material: Zinc Alloy
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm




► DM-HD5000FC

- Material: Zinc Alloy
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm




► DM-HD5000RC12

- Material: Zinc Alloy
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 10-12mm




► DM-HD5000FC12

- Material: Zinc Alloy
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 10-12mm



► DM-HD5000RS

- Material: Stainless Steel
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm



► DM-HD5000FS

- Material: Stainless Steel
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm



CLIPS & STANDOFFS FITTINGS SERIES




► DM-HD5000RCS

- Material: Zinc Alloy
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm




► DM-HD5000FCS

- Material: Zinc Alloy
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm




► DM-HD5000RCAS

- Material: Casting Stainless Steel
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm




► DM-HD5000FCAS

- Material: Casting Stainless Steel
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm



► DM-HD5000FSSS

- Material: Stainless Steel
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm



► DM-HD5000RSSS

- Material: Stainless Steel
- Finish: Chrome, Matte Chrome, Golden, Black
- Fit for Glass Thickness: 6-10mm




CLIPS & STANDOFFS FITTINGS SERIES




- Preferable for Staircase Railing
- Available in heights: 20,30,40,50mm
- Fit for Glass Thickness: 8-12mm
- SUS201/304 Grade
- Finish: PSS/SSS/Black/Gold/Titanium

► DM-810




- Preferable for Staircase Railing
- Fit for Glass Thickness: 8-12mm
- SUS201/304 Grade
- Finish: PSS/SSS/Black/Gold/Titanium

► DM-814




- Preferable for Fix Glass Panel to Wall
- Fit for Glass Thickness: 8-12mm
- SUS201/304 Grade
- Finish: PSS/SSS/Black/Gold/Titanium

► DM-812




- Preferable for Fix Glass Panel to Wall
- Fit for Glass Thickness: 8-12mm
- SUS201/304 Grade
- Finish: PSS/SSS/Black/Gold/Titanium

► DM-811



- Preferable for Staircase Railing
- Fit for Glass Thickness: 8-12mm
- SUS201/304 Grade
- Finish: PSS/SSS/Black/Gold/Titanium

► DM-813



- For Glass Standoffs
- Fit according to the size
- SUS201/304 Grade
- Finish: SSS

► DM-B810



CLIPS & STANDOFFS FITTINGS SERIES




► DM-M810

- To tighten the Standoffs Cap
- Easily Suitable upto 48mm Diameter
- SUS201/304 Grade
- Finish: SSS/Golden Brown



► DM-HD5001

L1*L2 45*45 50*50




► DM-HD5002

Φ	B-Φ	T	Glass Thk
50	38.1	50.8	63.5
60	38.1	50.8	63.5




► DM-HD5003

Φ	B-Φ	T	Glass Thk
50	38.1	50.8	63.5
60	38.1	50.8	63.5



Installation diagram





SIGNBOARD SCREWS "SS"



DORMAN®

Glass and Stainless Accessories
4162 Ibn Awf St. - Old Ind. Area - Riyadh 12845 - Saudi Arabia
Tel. 2955509 Ext. 101
E-mail: accessories@mannaglass.sa | www.mannaglass.sa



236

CLIPS & STANDOFFS FITTINGS SERIES

- DM-ASS1925S (Solid Stainless Steel)
- DM-AS1925S (Hollow Stainless Steel)



Application
Mounting of signboards, mirrors,
table top glass etc.

Material
Solid Stainless Steel
Hollow Stainless Steel


Mounting
ø 4 mm/Other Sizes screw hole

Panel thickness: 4 - 10/12 mm
Satin, Polish, Black & Gold

Sizes


ø 19 x 25 mm	ø 30 x 20 mm
ø 19 x 30 mm	ø 30 x 25 mm
ø 19 x 40 mm	ø 30 x 30 mm
ø 19 x 50 mm	
ø 19 x 60 mm	
ø 19 x 70 mm	
ø 25 x 25 mm	ø 40 x 25 mm
ø 25 x 30 mm	ø 40 x 30 mm
ø 25 x 40 mm	ø 40 x 40 mm
ø 25 x 50 mm	ø 40 x 50 mm
ø 25 x 60 mm	ø 40 x 60 mm
ø 25 x 70 mm	

SUS
304
Stainless steel





SIGNBOARD SCREWS "SS"

BASE PLATE & FLANGE SERIES



DM-F63

Φ1	38.1	38.1	42.4	38.1	42.4	38.1	42.4	50.8	42.4	50.8	50.8	63.5
Φ2	50.8	63.5	63.5	75	75	85	85	85	87	87	97	97
T	2.0 ; 3.0 ; 4.0 ; 5.0 ; 6.0											
Φ1	63.5	76.2	63.5	76.2	76.2	101.6	101.6					
Φ2	114	114	141	141	150	150	200					
T	2.0 ; 3.0 ; 4.0 ; 5.0 ; 6.0											





DM-F63A

Φ1	98/88	88	75
Φ2	50.8	42.4	38

DM-FT63

L1*L2	70*100	70*110
-------	--------	--------



DM-FN63

Φ1	60	63	76	103	114	124
Φ2	25.4	31.8	38.1	50.8	63.5	76
T	2.0 ; 5.0					

DM-FT44

L1*L2	100*100	120*120
-------	---------	---------

BASE PLATE & FLANGE SERIES





SUS
304
Stainless steel

SUS
316
Stainless steel





BASE PLATE & FLANGE SERIES



► DM-FN51B

Φ1	52	52	75	98	114
Φ2	19.1	25.4	38.1	50.8	63.5
T	1.5-3				

► DM-FN51C

Φ1	75	84	92
Φ2	38.1	42.4	50.8



BASE PLATE & FLANGE SERIES




► DM-FN51D

Φ1	70	85	95	104
Φ2	25.4	38.1	50.8	63.5



► DM-FN51E

Φ	L1	L2
38.1	70	48
42.4	80	52
50.8	90	61




► DM-FN51S

Φ1	Φ2	T
85	38.1	5
95	50.8	5



► DM-FT44B

D1*D2	L1*L2
40*40	95*95
50*50	100*100



► DM-FT44C


D1*D2	L1*L2
40*40	95*95
50*50	100*100



► DM-FN51G

Material	Φ
304	50.8
zinc alloy	50.8

END CAP FITTINGS SERIES



END CAP FITTINGS SERIES



► **DM-EL63EF**

Φ	38.1	50.8	63.5
---	------	------	------



► **DM-EL63ER**

Φ	38.1	50.8	63.5
---	------	------	------



► **DM-EN63F**


Φ	38.1	50.8	63.5
---	------	------	------



► **DM-EN63R**

Φ	38.1	42.4	50.8	63.5
---	------	------	------	------

Installation diagram





END CAP FITTINGS SERIES

Premium Stainless
Steel Quality



► DM-EN63F

Φ	38.1	50.8	63.5
---	------	------	------



► DM-FN51R

Φ	15.9	19.1	20	25.4	31.8
Φ	42.4	50.8	63.5	76.2	89



► DM-EN51

Φ	19.1	25.4	31.8	38.1	42.4	50.8
---	------	------	------	------	------	------




► DM-ENT42

Φ	38.1	50.8
---	------	------



► DM-ENT5

L1*L2	50*50	40*40
-------	-------	-------



► DM-ENT5-4

L1*L2	32*32	40*40	60*60	80*80
L1*L2	100*100	120*120	150*150	



END CAP FITTINGS SERIES




▶ GLASS MOUNT BRACKET SERIES






GLASS MOUNT BRACKET SERIES




► DM-325

Φ	43
L	80




► DM-327MS

Φ1	Φ2	L1	L2	TYPE
12	40	50	50	ADJUSTABLE
12	40	50	50	N-ADJUSTABLE




► DM-B324

Φ1	Φ2	L1	L2
12	40	50	50




► DM-333

Φ1	Φ2	L
12	43	80



► DM-B327MS

Φ1	Φ2	L1	L2	TYPE
12	43	50	70	ADJUSTABLE
12	43	50	70	N-ADJUSTABLE




► DM-331MS

Φ1	Φ2	L1	TYPE
12	40	80	ADJUSTABLE
12	40	80	N-ADJUSTABLE




GLASS MOUNT BRACKET SERIES



► DM-335


L	200
---	-----





► DM-T327M3

L	100
D	25

Installation diagram




WALL MOUNT BRACKET SERIES






WALL MOUNT BRACKET SERIES

▶ **DM-330FS**


Φ1	Φ2	L1	L2	TYPE
10	62	60	64	ADJUSTABLE
10	62	60	64	N-ADJUSTABLE

▶ **DM-330FSA**


Φ	60
L	70

▶ **DM-B063**


Φ	65
L	73

▶ **DM-330FSC**

Φ1	Φ2	L1	L2	TYPE
12	50	53	53	ADJUSTABLE
12	50	53	53	N-ADJUSTABLE

▶ **DM-330FS**


Φ	65
L	73

▶ **DM-338**


Φ1	Φ2	L1	L2
12	50	60	60




WALL MOUNT BRACKET SERIES

▶ **DM-332MS**


Φ1	Φ2	L	TYPE
12	50	60	ADJUSTABLE
12	50	60	N-ADJUSTABLE

▶ **DM-330FSB**


Φ1	Φ2	L1	L2
14	60	60	70

▶ **DM-336**


Φ1	Φ2	L
12	22	60

▶ **DM-T327MS**

D	25
L	100

▶ **DM-337**

D	25
L	100

▶ **DM-339**

Φ1	63	63
Φ2	38.1	50.8




WALL MOUNT BRACKET SERIES




► DM-340

Φ1	68
Φ2	38.1 42.4 50.8



► DM-341

Φ1	68
Φ2	38.1 42.4 50.8



► DM-342

Φ	38	51
L	60	60




► DM-344

Φ1	38	51
L	60	60



► DM-345

L1*L2	Φ1	Φ2
65*65	12	60



► DM-346

Φ1	Φ2
65	50.8



WALL MOUNT BRACKET SERIES



► DM-347

Φ1	31.8	38.1	42.4	50.8
Φ2	50			



► DM-348

Φ1	31.8	38.1	42.4	50.8
L1*L2	60*40			



► DM-349

Φ	50.8
---	------



► DM-350

Φ	50.8
---	------



► DM-351

L	80
Φ	88

STAINLESS STEEL SPIGOT SERIES



STAINLESS STEEL SPIGOT SERIES



► **DM-4000S**

A	B
190	12-15mm



► **DM-4005S**

A	B
190	12-15mm




► **DM-4002S**

A	B
200	12-15mm



► **DM-4003S**

A	B
190	12-15mm



► **DM-4004S**

A	B
200	12-15mm




► **DM-4001S**

A	B
200	12-15mm



► **DM-4006S**

A	B
200	12-15mm



► **DM-4007S**

A	B
180	12-15mm

BASE COVERS SERIES



BASE COVERS SERIES




► **DM-BC63R**

Φ1	38.1	42.4	50.8	63.5	76.2
Φ2	68/78	88	88/100	100/120	120/150




► **DM-BC63**

Φ1	38.1	42.4	50.8	63.5	76.2
Φ2	68/78	88	88/100	100/120	120/150




► **DM-BC63A**

Φ1	38.1	42.4	50.8	63.5	76.2
Φ2	68/78	88	88/100	100/120	120/150




► **DM-BC63B**

Φ1	38.1	42.4	50.8	63.5	76.2
Φ2	68/78	88	88/100	100/120	120/150



► **DM-BC63C**

Φ1	38.1	42.4	50.8	63.5	76.2
Φ2	68/78	88	88/100	100/120	120/150




► **DM-BC63D**

Φ1	38.1	42.4	50.8	63.5	76.2
Φ2	68/78	88	88/100	100/120	120/150




BASE COVERS SERIES




► DM-BC63E

Φ1	38.1	42.4	50.8	63.5	76.2
Φ2	68	88	88/100	100	120




► DM-BC63F

Φ1	25.4	31.8	50.8
Φ2	50.8	58	76




► DM-BCT63

Φ	88	102
L1*L2	40*20	50*30





► DM-BCT44

Φ	88	102
L1*L2	40*40	50*50



► DM-BC63G

Φ	19.1	38.1	50.8
D1*D2	38*38	50*50	80*80




► DM-TBC5

D1*D2	83*83	100*100
L1*L2	40*40	50*50




BASE COVERS SERIES




► DM-TBC5A

D1*D2	83*83	100*100	100*100
L1*L2	40*40	40*40	50*50




► DM-TBC63C

D1*D2	120*75	120*75	83*83
L1*L2	60*40	50*30	40*20




► DM-TBC4B

D1*D2	83*83	83*83	100*100	100*100
L1*L2	40*40	50*50	40*40	50*50




► DM-TBC4C

D1*D2	83*83	83*83	100*100	100*100
L1*L2	40*40	50*50	40*40	50*50




► DM-BC25

Φ	19.1	25.4
---	------	------



► DM-BC25A

Φ	19.1	25.4
---	------	------



► DM-BC63D

Φ1	50.8
Φ2	112

▶ BALL TOP & BALLS SERIES





BALL TOP & BALLS SERIES




▶ DM-BH82

Φ	19.1	25.4	32	38.1	50.8	63
Φ	76	100	120	150	200	300




▶ DM-BH80

Φ1	12.7	12.7	15.9	15.9	20/25.4
Φ2	25.4	31.8	31.8	38.1	50.8



▶ DM-BH81

Φ1	38.1	50.8
Φ2	100	100




▶ DM-BH83

Φ	19.1	25.4	31.8	38.1	42.4	50.8	63.5
---	------	------	------	------	------	------	------



▶ DM-BS6

Φ	38.1	50.8
---	------	------



▶ DM-BS5

Φ	70	80	100
---	----	----	-----



BALL TOP & BALLS SERIES



▶ DM-BP63

Φ1	38.1	50.8	63.5	76.2
Φ2	70	78/98/120	98/120	120




▶ DM-B63A

Φ1	38.1	50.8	63.5	76.2
Φ2	70	78/98/120	98/120	120



▶ DM-BP63BD

Φ1	38.1	50.8	63.5	76.2
Φ2	51	63	76	98



▶ DM-BP63BB

Φ1	38.1	50.8	63.5
Φ2	51	78/98	98/120



▶ DM-BP63BE

L1*L2	40*40	50*50
Φ	78/98	98/120



▶ DM-BP63BC

Φ1	38.1	50.8	63.5	76.2
Φ2	51	79/98	98/120	120



BALL TOP & BALLS SERIES



► DM-EN51

Φ1	38.1	50.8	63.5
Φ2	63	75	93



► DM-BA52

Φ	25.4	31.8	38.1	50.8	63.5	76.2	89
---	------	------	------	------	------	------	----



► DM-BP38

Φ	19.1	25.4
---	------	------



► DM-BP51

Φ1	38.1	50.8	63.5
Φ2	70	78/98	98



► DM-BA53

Φ	38.1	50.8	63.5	76.2	102
---	------	------	------	------	-----



► DM-BC28

Φ	19.1	25.4
---	------	------



► DM-BC27

Φ1	38.1	50.8
Φ2	80	98



► DM-BP19

Φ1	38.1	50.8	63.5
Φ2	70	78/98	98



► DM-BC26

Φ	19.1	25.4
---	------	------



► DM-BC25

Φ	19.1	25.4
---	------	------



► DM-BP51AC ► DM-BP51ACY



► DM-C138



BALL TOP & BALLS SERIES



U-CHANNELS & CORNER GUARDS



Dorman® Dept U-Channel

Aluminum

Dorman® Dept U-Channel is for securing fixed panels of glass to the wall, ceiling or floor. Widths suitable for 3/8" (10 mm) and 1/2" (12 mm) thick glasses are available, and are individually wrapped to protect the finish. The 60mm height high profile Dept U-Channel can be used also as the top channel in installations where the glass must be inserted into the top, then lowered into the Regular U-Channel used at the bottom of the enclosure. Over a dozen stock finishes are offered.

For 3/8" and 1/2" (10 and 12 mm) Thick Glass

Dept Pocket Does Excellent Job of Securing Fixed Panels of Glass


May Be Used Alone or with Regular Depth U-Channel

Wet Glazed with Clear/White/Grey/Black Silicone to Secure Glass



Use Monolithic Tempered Glass

Additional Product Information:

Typical Uses: Most Commonly Used in Frameless Shower Installations for Securing Fixed Panels of Glass to the Wall, Ceiling or Floor. The depth of the u channel is ideal for disguising any discrepancy in the plumbness of the wall, allowing for the glass to be cut straight.



68mm Glass	Size	H - Height	W - Width	I - Inner Width	T - Thickness	L - Length
	8A 8B 8C	40 50 60mm	11.6mm	10mm	0.8mm	3M
10mm Glass	Size	H - Height	W - Width	I - Inner Width	T - Thickness	L - Length
	10A 10B 10C	40 50 60mm	13.6mm	12mm	0.8mm	3M
12mm Glass	Size	H - Height	W - Width	I - Inner Width	T - Thickness	L - Length
	12A 12B 12C	40 50 60mm	16.6mm	15mm	0.8mm	3M



Available in
Polish, Satin & Black



Dorman® Corner Guards

Stainless Steel

High Quality
Assured




Available in PSS/SSS/Gold & Black

Dorman® Corner Guards Stainless steel provide a modern and attractive look while also providing superior corner protection. Corner guards are most commonly used in commercial buildings, kitchens, supermarkets, hospitals or manufacturing facilities. Large and sometimes heavy equipment must be moved throughout these buildings and it is inevitable that walls and corners will get dinged up. Corner guards, protect the most common points of impact, corners.

Stainless steel corner guards offer a very tough, yet attractive look to your building and are an industry favorite thanks to their incredible durability and long life.

Technical Drawing:



Stainless Steel

- Provides 2cm wing, 2.5cm wing, 3cm wing, 3.5cm wing and 4cm wing. Custom wing sizes and angles also available.
- The stainless edge trim mainly has two functions, protection and decoration., custom heights available
- Stainless Steel corner guards are typically 304 grade but are also available in 201 grade.
- We offer different sizes and metal thickness for optimal protection.
- Designed to resist corrosion.



Dorman® Deep U-Channel

Stainless Steel

Dorman® Deep U-Channel is for securing fixed panels of glass to the wall, ceiling or floor. Widths suitable for 3/8" (10 mm) and 1/2" (12 mm) thick glasses are available, and are individually wrapped to protect the finish. The 60mm height high profile Dept U-Channel can be used also as the top channel in installations where the glass must be inserted into the top, then lowered into the Regular U-Channel used at the bottom of the enclosure. Over a dozen stock finishes are offered.

For 3/8" and 1/2" (10 and 12 mm) Thick Glass

Deep Pocket Does Excellent Job of Securing Fixed Panels of Glass


May Be Used Alone or with Regular Depth U-Channel

Wet Glazed with Clear/White/Grey/Black Silicone to Secure Glass

Use Monolithic Tempered Glass

Additional Product Information:

Typical Uses: Most Commonly Used in Frameless Shower Installations for Securing Fixed Panels of Glass to the Wall, Ceiling or Floor.




Size	H - Height	W - Width	I - Inner Width	T - Thickness	L - Length
8A 8B 8C	40 50 60mm	11.6mm	10mm	0.8mm	3M
Size	H - Height	W - Width	I - Inner Width	T - Thickness	L - Length
10A 10B 10C	40 50 60mm	13.6mm	12mm	0.8mm	3M
Size	H - Height	W - Width	I - Inner Width	T - Thickness	L - Length
12A 12B 12C	40 50 60mm	16.6mm	15mm	0.8mm	3M



The depth of the u channel is ideal for disguising any discrepancy in the plumbness of the wall, allowing for the glass to be cut straight

Available in PSS/SSS/Gold & Black






STAINLESS STEEL TUBES & PIPES



MANUFACTURING PROCESS



Tubes manufacturing of stainless steel welded tubes is carried out on custom designed, sophisticated tube mills where stainless steel strips, slit to precise widths, are continuously formed into a tubular shape and welded by Tungsten - Inert - Gas(TIG) welding.

The welding is highly precise and completely automated. The edges of the strips are heated and fused together under protective atmosphere of argon through a non-consumable electrode without the addition of any filler metal.

GENERAL INFORMATION

CHEMICAL COMPOSITION (FULFILLS THE STANDARDS ASTM A554-11 AND EN 10088-2)

TYPE GRADE	EN	C Max	Mn Max	P Max	S Max	Si Max	Cr Max	Ni Max	Cu max	Mo Max	N Max	Other
201	-	0.11	10.08	0.051	0.006	0.53	14.43	0.5	0.47	-	0.161	-
202(4% Ni)	-	0.08	6.0-8.0	0.06	0.005	0.75	16.0/18.0	4.0/6.0	1.5-2.0	-	0.1	-
204 Cu	1.4597	0.15	6.5-9.0	0.06	0.03	1	15.5/17.5	1.50/3.5	2.0/4.0	-	0.05-0.25	-
304	1.4301	0.07	2	0.045	0.03	1	18.0/19.5	8.0/10.5	-	-	-	-
304 L	1.4307	0.03	2	0.045	0.03	1	18.0/19.5	8.0/10.5	-	-	0.11	-
316 L	1.4404	0.03	2	0.045	0.03	1	16.5/18.0	10.0/13.0	-	2.00/2.5	-	-
316 Ti	1.4571	0.08	2	0.045	0.03	1	16.5/18.0	10.5/13.5	-	2.00/2.5	-	5x % Cupto0.8
321	1.4541	0.08	2	0.045	0.03	1	17.0/19.0	9.00/13.0	-	-	-	5x C Min

LEAN DUPLEX

EN	UNS	C% MAX	MN %	P% MAX	NI %	Cr %	Mo%	Si % Max	S %	N %	Cu%
1.4162	S32101	0.04	4.0-6.0	0.04	1.35-1.70	21.0-22.0	0.1-0.8	1	0.03	0.2-0.25	0.1-0.8





SS WELDED ROUND PIPES AND TUBES

Size : 12.7 mm to 100 mm Grade : 200 & 300 Series.
Thickness : 0.4 to 3 mm Finishes : 2B Finish / Mirror / Matt (180# to 600#)
Length : As per Requirement Slitting edge : As per Requirement

STAINLESS STEEL ROUND TUBES ASTM A554

Sr.No	Size mm	26swg 0.4mm	24swg 0.6mm	22swg 0.8mm	20swg 0.95mm	18swg 1.15mm	16swg 1.45mm	14swg 2mm
1	0	---	---	1.05	1.2	1.45	1.8	---
2	12.7	---	1.15	1.45	1.7	2	2.45	---
3	15.8	---	1.4	1.85	2.15	2.25	3.15	4.2
4	19.05	1.0	1.7	2.25	2.6	3.1	3.85	5.15
5	22.2	---	2	2.6	3	3.65	4.5	6.05
6	25.4	1.5	2.25	3	3.5	4.2	5.2	7.1
7	31.75	---	2.75	3.75	4.45	5.3	6.65	9
8	38.1	---	3.30	4.55	5.35	6.45	8	10.9
9	50.8	---	4.40	6.05	7.15	8.65	10.8	14.75
10	63.5	---	5.55	7.6	9	10.85	13.6	18.5
11	76.2	---	6.65	9.2	10.85	13.1	16.45	22.55
12	101.6	---	---	---	14.45	17.45	21.9	30.1

SURFACE FINISH = 2B, HL#60, #180, #240, #400, BA#600, #800 MIRROR FINISH

WEIGHT = KG/6METRE SWG = GUAGE


STAINLESS STEEL ROUND PIPES

Wall Thickness & Weight

Normal Pipe Sizes		Outside Diameter		Schedule 5 S		Schedule 10 S		Schedule 40 S	
				W.T		W.T		W.T	
In Inch	In mm	mm	kg/Meter	mm	Kg/Meter	mm	Kg/Meter	mm	Kg/Meter
1/2	12.7	1.65	0.81	2.11	1.01	2.77	1.28		
3/4	19.05	1.65	1.03	2.11	1.3	2.87	1.7		
1	25.4	1.65	1.31	2.77	2.12	3.38	2.53		
1 1/4	31.75	1.65	1.67	2.77	2.72	3.56	3.43		
1 1/2	38.1	1.65	1.92	2.77	3.15	3.68	4.1		
2	50.8	1.65	2.42	2.77	3.98	3.91	5.51		
2 1/2	63.5	2.11	3.74	3.05	5.03	5.16	8.75		
3	76.2	2.11	4.57	3.05	6.54	5.49	11.44		
3 1/2	88.9	2.11	5.25	3.05	7.51	5.74	13.75		
4	101.6	2.11	5.95	3.05	8.48	6.02	16.29		
5	127.0	2.77	9.59	3.4	11.72	6.55	22.06		

SURFACE FINISH = 2B, HL#60, #180, #240, #400, BA#600, #800 MIRROR FINISH

WEIGHT = KG/6METRE



SS WELDED SECTIONAL PIPES AND TUBES

Size : 12 X 12 to 80 X 80 mm Grade : 200 & 300 Series.
Thickness : 0.8 to 3 mm Finishes : 2B Finish / Mirror / Matt (180# to 600#)
Length : As per Requirement Slitting edge : As per Requirement

STAINLESS STEEL SECTIONAL(SQUARE) TUBES ASTM A554

Sr No	Size mm	24swg 0.6mm	22swg 0.8mm	20swg 0.95mm	18swg 1.15mm	16swg 1.45mm	14swg 2mm
1	12x12	---	1.85	2.15	2.25	3.15	4.2
2	15x15	---	2.25	2.6	3.1	3.85	5.15
3	20x20	2.1	3	3.5	4.2	5.25	7.05
4	25x25	---	3.75	4.4	5.3	6.65	9
5	30x30	---	4.5	5.35	6.45	8.05	11.2
6	40x40	---	6	7.15	8.65	10.8	14.75
7	50x50	---	9	10.85	13.6	18.5	
8	60x60	---	10.85	12.1	16.45	22.55	
9	80x80	---	14.45	17.45	21.9	31.1	

SURFACE FINISH = 2B, HL#60, #180, #240, #400, BA#600, #800 MIRROR FINISH

WEIGHT = KG/6METRE SWG = GUAGE

STAINLESS STEEL SECTIONAL(RECTANGULAR) TUBES ASTM A554

Sr No	Size mm	24swg 0.6mm	22swg 0.8mm	20swg 0.95mm	18swg 1.15mm	16swg 1.45mm	14swg 2mm
1	10x20	---	2.25	2.6	3.1	3.85	5.15
2	10x30	---	3	3.5	4.2	5.2	7.1
3	10x40	---	3.75	4.45	5.3	6.65	9
4	10x50	---	4.55	5.35	6.45	8	10.9
5	26x13	---	3	3.5	4.2	5.2	7.1
6	40x20	---	4.55	5.35	6.45	8	10.9
7	75x25	---	9	10.85	13.6	18.5	
8	60x40	---	9	10.85	13.6	18.5	
9	80x40	---	10.85	13.1	16.45	22.55	
10	50x25	---	6.05	7.15	8.65	10.8	14.75
11	33x13	---	3.5	4.2	5.2		
12	19x45	---					

SURFACE FINISH = 2B, HL#60, #180, #240, #400, BA#600, #800 MIRROR FINISH

WEIGHT = KG/6METRE SWG = GUAGE





ERW SS PIPE ASTM 249, 269, 270, 312



ROUND PIPES

Wall Thickness & Weight

Normal Pipe Sizes	Outside Diameter	Schedule 5 S		Schedule 10 S		Schedule 40 S	
		W.T		W.T		W.T	
In Inch	In mm	mm	Kg/Meter	mm	Kg/Meter	mm	Kg/Meter
1/2	12.7	1.65	0.81	2.11	1.01	2.77	1.28
3/4	19.05	1.65	1.03	2.11	1.3	2.87	1.7
1	25.4	1.65	1.31	2.77	2.12	3.38	2.53
1 1/4	31.75	1.65	1.67	2.77	2.72	3.56	3.43
1 1/2	38.1	1.65	1.92	2.77	3.15	3.68	4.1
2	50.8	1.65	2.42	2.77	3.98	3.91	5.51
2 1/2	63.5	2.11	3.74	3.05	5.03	5.16	8.75
3	76.2	2.11	4.57	3.05	6.54	5.49	11.44
3 1/2	88.9	2.11	5.25	3.05	7.51	5.74	13.75
4	101.6	2.11	5.95	3.05	8.48	6.02	16.29
5	127.0	2.77	9.59	3.4	11.72	6.55	22.06



STAINLESS STEEL SQUARE SECTIONS

weight (kg/6metre)

Sr No	WALL THICKNESS	0.9 MM	1.0 MM	1.2 MM	1.5 MM	2.0 MM	2.5 MM	3.0 MM	4.0 MM
1	10x10	0.27	0.29	0.35	0.42	-	-	-	-
2	12.50 x 12.50	0.34	0.37	0.44	0.54	-	-	-	-
3	15x15	0.41	0.45	0.54	0.66	-	-	-	-
4	20x20	0.55	0.61	0.73	0.9	1.17	1.43	1.68	-
5	25x25	0.69	0.77	0.92	1.13	1.49	1.83	2.16	-
6	30x30	0.84	0.93	1.11	1.37	1.81	2.23	2.63	-
7	40x40	1.12	1.25	1.49	1.85	2.44	3.02	3.59	4.70
8	50x50	1.41	1.56	1.87	2.33	3.08	3.81	4.54	5.97
9	60x60	1.69	1.88	2.25	2.8	3.71	4.61	5.49	7.25
10	70x70	-	-	-	-	4.36	5.34	6.47	8.53
11	75x75	-	-	-	-	4.67	5.80	6.92	9.13
12	80x80	-	-	-	-	4.98	6.19	7.40	9.76



STAINLESS STEEL RECTANGULAR SECTIONS

weight (kg/6metre)

Sr No	WALL THICKNESS	0.9 MM	1.0 MM	1.2 MM	1.5 MM	2.0 MM	2.5 MM	3.0 MM	4.0 MM
1	20x10	0.42	0.47	0.57	0.71	-	-	-	-
2	25x12	0.52	0.58	0.7	0.87	-	-	-	-
3	30x20	0.69	0.77	0.92	1.13	1.49	1.83	2.16	-
4	40x20	0.84	0.93	1.11	1.37	1.81	2.23	2.63	-
5	50x10	0.84	0.93	1.11	1.37	1.81	2.23	2.63	-
6	50x25	1.06	1.18	1.41	1.77	2.36	2.95	3.54	-
7	50x30	1.13	1.25	1.49	1.85	2.45	3.03	3.60	-
8	60x40	1.41	1.56	1.87	2.33	3.08	3.81	4.54	5.97
9	70x30	1.41	1.56	1.87	2.33	3.09	3.81	4.55	5.97
10	70x50	-	-	-	-	3.72	4.61	5.51	-
11	75x25	1.41	1.56	1.87	2.33	3.08	3.81	4.54	-
12	80x40	1.69	1.88	2.25	2.80	3.71	4.61	5.49	7.25
13	80x50	-	-	-	-	4.04	5.02	5.99	7.89



SS WELDED SLOTT PIPES

The Solid Rectangular Pipes, made available by us, are extremely tensile and efficient.

Thickness	: 0.8 mm to 3 mm	Sizes Round	: 38.10mm and 50.8 mm
Sizes Square	: 40 X 40 and 50 X 50	Sizes Rectangle	: 60 X 40
Slot Size	: 15 X 15	Type	: Welded
Slot Types	: Available Single and Double Slotted		

STAINLESS STEEL SLOTTED TUBE ASTM A554

Sr No	Slot Size OD/MM	18swg 1.15mm
1	40x40	11.8
2	50.8	12
3	50x50	14.5
4	60x40	14.5

SURFACE FINISH = 2B, HL#60, #180, #240, #400, BA#600, #800 MIRROR FINISH **WEIGHT** = KG/6METRE



STAINLESS STEEL SHEETS & RODS

Grade: 201/202,304, 316 etc

Size & Length: As Per Requirement




APPLICATION

OUR PRODUCTS ARE USED IN VARIOUS INDUSTRIES LIKE :



Decorative Furniture



Ornamental Furniture



Fertilizers



Railing



Shipping Lines / Yachts



Railway Coaches



Plants / Industries



Kitchenware / Sanitary & Plumbing



Sugar Mill



Dairy & Food



Machines/ Vessels



Fabricator



NOTES



NOTES

NOTES

280

– NOTES

BRANCHES

DETAILED INFORMATION

BRANCH	CONTACT	LOCATION
RIYADH AL SINA'IYAH	(+966) 546 923 611 564 700 131	
RIYADH ASH SHIFA	(+966) 543 301 873	
RIYADH AL JAMEYYA	(+966) 531 254 432	
JEDDAH AL AMMARIYAH	(+966) 567 215 044	
KHAMIS MUSHAIT AL WAHAH	(+966) 562 253 565	
JIZAN AS SUWAYS	(+966) 547 592 478	



www.mannaglass.sa
accessories@mannaglass.sa

DORMAN®

Disclaimer: Product specifications, information & visuals shown in this catalogue are illustrative in nature, the customers are advised to kindly check technical specifications & details before placing order. The Company will not be liable for any such loss to customer/s for technically unsuitable/unfit product. Dorman® reserves the right to change or modify the specifications any time without notice/information.

The Company shall only be responsible for defects covered under the product warranty and shall in no way be accountable for any defects (including but not limited to packaging, installation instructions, manuals, specification instructions and care and maintenance instructions), after the delivery of goods to the Customer. All risk and obligations in the goods and products delivered by the Company passes to the Purchaser immediately upon delivery to the Purchaser.

*Technical specifications may change without any prior notice. please check and confirm all details before placing order.

SALES DIRECTOR
+966 568 127 605
karim.kathiri@mannaglass.sa